

A10139 Hanging band

Hinged hanging band for SGP pipe

Part number A10139 Hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0019	10A	$\frac{3}{8}$	17.3	2.0	25	M 6×20	26	6
0023	15A	$\frac{1}{2}$	21.7	1.8	25	M 6×20	26	6
0292	VP20	V-20	26.0	2.0	25	M 6×20	26	6
0038	20A	$\frac{3}{4}$	27.2	1.8	25	M 6×20	26	6
0235	VP25	V-25	32.0	2.0	25	M 6×20	26	6
0042	25A	1	34.0	1.8	25	M 6×20	26	6
0240	VP30	V-30	38.0	2.0	25	M 6×20	26	6
0057	32A	$1\frac{1}{4}$	42.7	1.8	25	M 6×20	26	6
0061	40A	$1\frac{1}{2}$	48.6	1.8	25	M 6×20	26	6
0076	50A	2	60.5	1.8	25	M 8×25	26	6
0095	65A	$2\frac{1}{2}$	76.3	2.3	25	M 8×25	26	6
0108	80A	3	89.1	2.3	25	M 8×25	26	6
0112	90A	$3\frac{1}{2}$	101.6	2.3	25	M 8×25	26	6
0127	100A	4	114.3	2.3	25	M 8×25	26	6
0131	125A	5	139.8	3.2	32	M10×30	36	8
0146	150A	6	165.2	3.2	32	M12×45	36	8
0165	175A	7	190.7	4.5	32	M12×45	40	10
0170	200A	8	216.3	4.5	38	M12×45	45	10
0184	250A	10	267.4	6.0	38	M16×50	50	13
0199	300A	12	318.5	6.0	50	M16×50	65	13

A10198 Stainless steel hanging band

Hinged hanging band for stainless steel pipe (thick-walled)

Part number A10198 Stainless steel hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0010	15A	$\frac{1}{2}$	21.7	2.0	25	M 6×20	26	8
0024	20A	$\frac{3}{4}$	27.2	2.0	25	M 6×20	26	8
0039	25A	1	34.0	2.0	25	M 6×20	26	8
0043	32A	$1\frac{1}{4}$	42.7	2.0	25	M 6×20	26	8
0058	40A	$1\frac{1}{2}$	48.6	2.0	25	M 6×20	26	8
0062	50A	2	60.5	2.0	25	M 6×20	26	8
0077	65A	$2\frac{1}{2}$	76.3	2.3	25	M 8×25	26	8
0081	80A	3	89.1	2.3	25	M 8×25	26	8
0096	90A	$3\frac{1}{2}$	101.6	2.3	25	M 8×25	26	8
0109	100A	4	114.3	2.3	25	M 8×25	26	8
0113	125A	5	139.8	3.0	32	M10×35	36	11
0128	150A	6	165.2	3.0	32	M12×40	36	11
0132	200A	8	216.3	3.0	32	M12×40	36	11
0147	250A	10	267.4	4.0	50	M16×50	57	15
0151	300A	12	318.5	4.0	50	M16×50	57	15

A10220 Dip-plated hanging band Confirm delivery

Hinged hanging band for SGP pipe

Part number A10220 Dip-plated hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0012	15A	$\frac{1}{2}$	21.7	1.8	25	M 6×25	26	6
0027	20A	$\frac{3}{4}$	27.2	1.8	25	M 6×25	26	6
0031	25A	1	34.0	1.8	25	M 6×25	26	6
0046	32A	$1\frac{1}{4}$	42.7	1.8	25	M 6×25	26	6
0065	40A	$1\frac{1}{2}$	48.6	1.8	25	M 6×25	26	6
0070	50A	2	60.5	1.8	25	M 8×25	26	6
0084	65A	$2\frac{1}{2}$	76.3	2.3	25	M 8×25	26	6
0099	80A	3	89.1	2.3	25	M 8×25	26	6
0101	100A	4	114.3	2.3	25	M 8×25	26	6
0116	125A	5	139.8	3.2	32	M10×30	36	8
0135	150A	6	165.2	3.2	32	M12×45	36	8

Suspended Pipe Fittings

1

Suspended Pipe Fittings

A10140 Hanging band with turnbuckle

Hinged hanging band for SGP pipe

Part number A10140 Hanging band with turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter (VP) (SGP)	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0010	10A	$\frac{3}{8}$	17.3	2.0	25	M 6×20	26	59	W $\frac{3}{8}$
0024	15A	$\frac{1}{2}$	21.7	1.8	25	M 6×20	26	62	W $\frac{3}{8}$
0471	VP20	V-20	26.0	2.0	25	M 6×20	26	65	W $\frac{3}{8}$
0039	20A	$\frac{3}{4}$	27.2	1.8	25	M 6×20	26	64	W $\frac{3}{8}$
0217	VP25	V-25	32.0	2.0	25	M 6×20	26	68	W $\frac{3}{8}$
0043	25A	1	34.0	1.8	25	M 6×20	26	68	W $\frac{3}{8}$
0221	VP30	V-30	38.0	2.0	25	M 6×20	26	71	W $\frac{3}{8}$
0058	32A	$1\frac{1}{4}$	42.7	1.8	25	M 6×20	26	73	W $\frac{3}{8}$
0062	40A	$1\frac{1}{2}$	48.6	1.8	25	M 6×20	26	76	W $\frac{3}{8}$
0077	50A	2	60.5	1.8	25	M 8×25	26	82	W $\frac{3}{8}$
0081	65A	$2\frac{1}{2}$	76.3	2.3	25	M 8×25	26	90	W $\frac{3}{8}$
0096	80A	3	89.1	2.3	25	M 8×25	26	97	W $\frac{3}{8}$
0109	90A	$3\frac{1}{2}$	101.6	2.3	25	M 8×25	26	103	W $\frac{3}{8}$
0113	100A	4	114.3	2.3	25	M 8×25	26	110	W $\frac{3}{8}$
0128	125A	5	139.8	3.2	32	M10×30	36	142	W $\frac{1}{2}$
0132	150A	6	165.2	3.2	32	M12×45	36	155	W $\frac{1}{2}$
0147	175A	7	190.7	4.5	32	M12×45	40	173	W $\frac{1}{2}$
0151	200A	8	216.3	4.5	38	M12×45	45	186	W $\frac{1}{2}$
0166	250A	10	267.4	6.0	38	M16×50	50	236	W $\frac{5}{8}$
0185	300A	12	318.5	6.0	50	M16×50	65	261	W $\frac{5}{8}$

A10199 Stainless steel hanging band with turnbuckle

Hinged hanging band for stainless steel pipe (thick-walled)

Part number A10199 Stainless steel hanging band with turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0017	15A	$\frac{1}{2}$	21.7	2.0	25	M 6×20	26	62	W $\frac{3}{8}$
0021	20A	$\frac{3}{4}$	27.2	2.0	25	M 6×20	26	64	W $\frac{3}{8}$
0036	25A	1	34.0	2.0	25	M 6×20	26	68	W $\frac{3}{8}$
0055	32A	$1\frac{1}{4}$	42.7	2.0	25	M 6×20	26	73	W $\frac{3}{8}$
0060	40A	$1\frac{1}{2}$	48.6	2.0	25	M 6×20	26	76	W $\frac{3}{8}$
0074	50A	2	60.5	2.0	25	M 6×20	26	82	W $\frac{3}{8}$
0089	65A	$2\frac{1}{2}$	76.3	2.3	25	M 8×25	26	90	W $\frac{3}{8}$
0093	80A	3	89.1	2.3	25	M 8×25	26	97	W $\frac{3}{8}$
0106	90A	$3\frac{1}{2}$	101.6	2.3	25	M 8×25	26	103	W $\frac{3}{8}$
0125	100A	4	114.3	2.3	25	M 8×25	26	110	W $\frac{3}{8}$
0130	125A	5	139.8	3.0	32	M10×35	36	142	W $\frac{1}{2}$
0144	150A	6	165.2	3.0	32	M12×40	36	155	W $\frac{1}{2}$
0159	200A	8	216.3	3.0	32	M12×40	36	180	W $\frac{1}{2}$
0163	250A	10	267.4	4.0	50	M16×50	57	242	W $\frac{5}{8}$
0178	300A	12	318.5	4.0	50	M16×50	57	267	W $\frac{5}{8}$

A10221 Dip-plated hanging band with turnbuckle Confirm delivery

Hinged hanging band for SGP pipe

Part number A10221 Dip-plated hanging band with turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0010	15A	$\frac{1}{2}$	21.7	1.8	25	M 6×25	26	62	W $\frac{3}{8}$
0024	20A	$\frac{3}{4}$	27.2	1.8	25	M 6×25	26	64	W $\frac{3}{8}$
0039	25A	1	34.0	1.8	25	M 6×25	26	68	W $\frac{3}{8}$
0043	32A	$1\frac{1}{4}$	42.7	1.8	25	M 6×25	26	73	W $\frac{3}{8}$
0058	40A	$1\frac{1}{2}$	48.6	1.8	25	M 6×25	26	76	W $\frac{3}{8}$
0062	50A	2	60.5	1.8	25	M 8×25	26	82	W $\frac{3}{8}$
0077	65A	$2\frac{1}{2}$	76.3	2.3	25	M 8×25	26	90	W $\frac{3}{8}$
0081	80A	3	89.1	2.3	25	M 8×25	26	97	W $\frac{3}{8}$
0096	100A	4	114.3	2.3	25	M 8×25	26	110	W $\frac{3}{8}$
0109	125A	5	139.8	3.2	32	M10×30	36	142	W $\frac{1}{2}$
0113	150A	6	165.2	3.2	32	M12×45	36	155	W $\frac{1}{2}$



A10141 Assembled hanging band without turnbuckle

Assembled hanging band for SGP pipe

Part number A10141 Assembled hanging band without turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0017	15A	$\frac{1}{2}$	21.7	1.2	25	M 6×20	27	6
0021	20A	$\frac{3}{4}$	27.2	1.2	25	M 6×20	27	6
0036	25A	1	34.0	1.2	25	M 6×20	27	6
0055	32A	$1\frac{1}{4}$	42.7	2.0	25	M 6×20	27	6
0060	40A	$1\frac{1}{2}$	48.6	2.0	25	M 6×20	27	6
0074	50A	2	60.5	2.0	25	M 6×20	27	6
0089	65A	$2\frac{1}{2}$	76.3	2.6	32	M 8×25	32	6
0093	80A	3	89.1	2.6	32	M 8×25	32	6
0106	90A	$3\frac{1}{2}$	101.6	2.6	32	M 8×25	32	6
0125	100A	4	114.3	2.6	32	M 8×25	32	6
0130	125A	5	139.8	2.6	38	M10×30	32	8
0144	150A	6	165.2	3.2	50	M12×45	35	8
0159	200A	8	216.3	3.2	50	M12×45	40	8
0163	250A	10	267.4	4.5	50	M12×45	50	10
0178	300A	12	318.5	4.5	50	M12×45	55	10
0182	350A	14	355.6	6.0	50	M16×50	60	12
0197	400A	16	406.4	6.0	50	M16×50	60	12

A10200 Stainless steel assembled hanging band without turnbuckle

Assembled hanging band for stainless steel pipe (thick-walled)

Part number A10200 Assembled hanging band without turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0010	15A	$\frac{1}{2}$	21.7	1.0	25	M 6×20	26	6
0024	20A	$\frac{3}{4}$	27.2	1.0	25	M 6×20	26	6
0039	25A	1	34.0	1.0	25	M 6×20	26	6
0043	32A	$1\frac{1}{4}$	42.7	1.2	25	M 6×20	26	6
0058	40A	$1\frac{1}{2}$	48.6	1.2	25	M 6×20	26	6
0062	50A	2	60.5	1.2	25	M 6×20	26	6
0077	65A	$2\frac{1}{2}$	76.3	1.5	32	M 8×25	36	6
0081	80A	3	89.1	1.5	32	M 8×25	36	6
0151	90A	$3\frac{1}{2}$	101.6	1.5	32	M 8×25	36	6
0096	100A	4	114.3	1.5	32	M 8×25	36	6
0109	125A	5	139.8	2.5	38	M10×35	36	8
0113	150A	6	165.2	3.0	50	M12×45	40	8
0128	200A	8	216.3	3.0	50	M12×45	40	8
0132	250A	10	267.4	4.0	50	M12×45	55	10
0147	300A	12	318.5	4.0	50	M12×45	55	10

A11208 Dip-plated assembled hanging band without turnbuckle

Assembled hanging band for SGP pipe

Part number A11208 Dip-plated assembled hanging band without turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0012	15A	$\frac{1}{2}$	21.7	1.2	25	M 6×20	27	6
0027	20A	$\frac{3}{4}$	27.2	1.2	25	M 6×20	27	6
0031	25A	1	34.0	1.2	25	M 6×20	27	6
0046	32A	$1\frac{1}{4}$	42.7	2.0	25	M 6×20	27	6
0065	40A	$1\frac{1}{2}$	48.6	2.0	25	M 6×20	27	6
0070	50A	2	60.5	2.0	25	M 6×20	27	6
0084	65A	$2\frac{1}{2}$	76.3	2.6	32	M 8×25	32	6
0099	80A	3	89.1	2.6	32	M 8×25	32	6
0101	90A	$3\frac{1}{2}$	101.6	2.6	32	M 8×25	32	6
0116	100A	4	114.3	2.6	32	M 8×25	32	6
0135	125A	5	139.8	2.6	38	M10×30	32	8
0140	150A	6	165.2	3.2	50	M12×45	40	8
0154	200A	8	216.3	3.2	50	M12×45	40	8

Suspended Pipe Fittings

A10142 Assembled hanging band with turnbuckle

Assembled hanging band for SGP pipe

Part number A10142 Assembled hanging band with turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0014	15A	1/2	21.7	1.2	25	M 6×20	27	66	W 3/8
0029	20A	3/4	27.2	1.2	25	M 6×20	27	68	W 3/8
0033	25A	1	34.0	1.2	25	M 6×20	27	72	W 3/8
0048	32A	1 1/4	42.7	2.0	25	M 6×20	27	77	W 3/8
0052	40A	1 1/2	48.6	2.0	25	M 6×20	27	80	W 3/8
0067	50A	2	60.5	2.0	25	M 6×20	27	86	W 3/8
0071	65A	2 1/2	76.3	2.6	32	M 8×25	32	99	W 3/8
0086	80A	3	89.1	2.6	32	M 8×25	32	105	W 3/8
0103	90A	3 1/2	101.6	2.6	32	M 8×25	32	111	W 3/8
0118	100A	4	114.3	2.6	32	M 8×25	32	118	W 3/8
0122	125A	5	139.8	2.6	38	M10×30	32	136	W 1/2
0137	150A	6	165.2	3.2	50	M12×45	40	164	W 1/2
0141	200A	8	216.3	3.2	50	M12×45	40	190	W 1/2
0156	250A	10	267.4	4.5	50	M12×45	55	243	W 5/8
0175	300A	12	318.5	4.5	50	M12×45	55	274	W 5/8
0180	350A	14	355.6	6.0	50	M16×50	60	294	W 5/8
0194	400A	16	406.4	6.0	50	M16×50	65	319	W 5/8

A10201 Stainless steel assembled hanging band with turnbuckle

Assembled hanging band for stainless steel pipe (thick-walled)

Part number A10201 Stainless steel assembled hanging band with turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0017	15A	1/2	21.7	1.0	25	M 6×20	26	64	W 3/8
0021	20A	3/4	27.2	1.0	25	M 6×20	26	67	W 3/8
0036	25A	1	34.0	1.0	25	M 6×20	26	71	W 3/8
0055	32A	1 1/4	42.7	1.2	25	M 6×20	26	75	W 3/8
0060	40A	1 1/2	48.6	1.2	25	M 6×20	26	78	W 3/8
0074	50A	2	60.5	1.2	25	M 6×20	26	84	W 3/8
0089	65A	2 1/2	76.3	1.5	32	M 8×25	36	101	W 3/8
0093	80A	3	89.1	1.5	32	M 8×25	36	108	W 3/8
0337	90A	3 1/2	101.6	1.5	32	M 8×25	36	114	W 3/8
0106	100A	4	114.3	1.5	32	M 8×25	36	120	W 3/8
0125	125A	5	139.8	2.5	38	M10×35	36	140	W 1/2
0130	150A	6	165.2	3.0	50	M12×45	40	156	W 1/2
0144	200A	8	216.3	3.0	50	M12×45	40	181	W 1/2
0159	250A	10	267.4	4.0	50	M12×45	55	246	W 5/8
0163	300A	12	318.5	4.0	50	M12×45	55	271	W 5/8

A11209 Dip-plated assembled hanging band with turnbuckle

Assembled hanging band for SGP pipe

Part number A11209 Dip-plated assembled hanging band with turnbuckle

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0010	15A	1/2	21.7	1.2	25	M 6×20	27	66	W 3/8
0024	20A	3/4	27.2	1.2	25	M 6×20	27	68	W 3/8
0039	25A	1	34.0	1.2	25	M 6×20	27	72	W 3/8
0043	32A	1 1/4	42.7	2.0	25	M 6×20	27	77	W 3/8
0058	40A	1 1/2	48.6	2.0	25	M 6×20	27	80	W 3/8
0062	50A	2	60.5	2.0	25	M 6×20	27	86	W 3/8
0077	65A	2 1/2	76.3	2.6	32	M 8×25	32	99	W 3/8
0081	80A	3	89.1	2.6	32	M 8×25	32	105	W 3/8
0096	90A	3 1/2	101.6	2.6	32	M 8×25	32	111	W 3/8
0109	100A	4	114.3	2.6	32	M 8×25	32	118	W 3/8
0113	125A	5	139.8	2.6	38	M10×30	32	136	W 1/2
0128	150A	6	165.2	3.2	50	M12×45	40	164	W 1/2
0132	200A	8	216.3	3.2	50	M12×45	40	190	W 1/2

A10143 Strengthened hanging band

Hinged hanging band for SGP pipe

Part number A10143 Strengthened hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0011	15A	1/2	21.7	2.3	25	M 6×20	26	6
0026	20A	3/4	27.2	2.3	25	M 6×20	26	6
0045	25A	1	34.0	2.3	25	M 6×20	26	6
0050	32A	1 1/4	42.7	2.3	25	M 8×25	26	6
0064	40A	1 1/2	48.6	2.3	25	M 8×25	26	6
0079	50A	2	60.5	2.3	25	M 8×25	26	6
0083	65A	2 1/2	76.3	2.6	25	M10×30	26	6
0098	80A	3	89.1	2.6	25	M10×30	26	6
0115	90A	3 1/2	101.6	2.6	25	M10×30	26	6
0120	100A	4	114.3	2.6	25	M10×30	26	6
0134	125A	5	139.8	4.5	32	M12×45	36	11
0149	150A	6	165.2	4.5	32	M12×45	36	11
0153	200A	8	216.3	6.0	50	M16×50	50	15
0168	250A	10	267.4	6.0	50	M16×50	50	15
0172	300A	12	318.5	6.0	50	M16×50	50	15

A11211 Dip-plated strengthened hanging band

Assembled hanging band for SGP pipe

Part number A11211 Dip-plated strengthened hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0018	15A	1/2	21.7	2.3	25	M 6×25	26	6
0022	20A	3/4	27.2	2.3	25	M 6×25	26	6
0037	25A	1	34.0	2.3	25	M 6×25	26	6
0041	32A	1 1/4	42.7	2.3	25	M 8×25	26	6
0056	40A	1 1/2	48.6	2.3	25	M 8×25	26	6
0075	50A	2	60.5	2.3	25	M 8×25	26	6
0080	65A	2 1/2	76.3	2.6	25	M10×30	26	6
0094	80A	3	89.1	2.6	25	M10×30	26	6
0107	100A	4	114.3	2.6	25	M10×30	26	6

A10144 Strengthened hanging band with lock

Hinged hanging band for SGP pipe

Part number A10144 Strengthened hanging band with lock

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0019	15A	1/2	21.7	2.3	25	M 6×20	26	73	W 3/8
0023	20A	3/4	27.2	2.3	25	M 6×20	26	76	W 3/8
0038	25A	1	34.0	2.3	25	M 6×20	26	79	W 3/8
0042	32A	1 1/4	42.7	2.3	25	M 8×25	26	83	W 3/8
0057	40A	1 1/2	48.6	2.3	25	M 8×25	26	86	W 3/8
0061	50A	2	60.5	2.3	25	M 8×25	26	92	W 3/8
0076	65A	2 1/2	76.3	2.6	25	M10×30	26	99	W 3/8
0095	80A	3	89.1	2.6	25	M10×30	26	105	W 3/8
0108	90A	3 1/2	101.6	2.6	25	M10×30	26	111	W 3/8
0112	100A	4	114.3	2.6	25	M10×30	26	118	W 3/8
0127	125A	5	139.8	4.5	32	M12×45	36	144	W 1/2
0131	150A	6	165.2	4.5	32	M12×45	36	157	W 1/2
0146	200A	8	216.3	6.0	50	M16×50	50	212	W 5/8
0165	250A	10	267.4	6.0	50	M16×50	50	238	W 5/8
0170	300A	12	318.5	6.0	50	M16×50	50	263	W 5/8

Suspended Pipe Fittings

1

Suspended Pipe Fittings


A10145 Lantern type hanging band

Lantern type hanging band for SGP pipe

Part number A10145 Lantern type hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0016	15A	1/2	21.7	2.8	25	M 8×25	25	8
0035	20A	3/4	27.2	2.8	25	M 8×25	25	8
0040	25A	1	34.0	2.8	25	M 8×25	25	8
0054	32A	1 1/4	42.7	2.8	25	M 8×25	25	8
0069	40A	1 1/2	48.6	2.8	25	M 8×25	25	8
0073	50A	2	60.5	2.8	25	M 8×25	25	8
0088	65A	2 1/2	76.3	2.8	25	M10×30	25	8
0092	80A	3	89.1	2.8	25	M10×30	25	8
0105	100A	4	114.3	2.8	25	M10×30	25	8
0110	125A	5	139.8	3.2	32	M12×45	36	11
0124	150A	6	165.2	3.2	32	M12×45	36	11




A10146 Lantern type hanging band with lock

Lantern type hanging band for SGP pipe

Part number A10146 Lantern type hanging band with lock

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0013	15A	1/2	21.7	2.8	25	M 8×25	25	72	W 3/8
0028	20A	3/4	27.2	2.8	25	M 8×25	25	74	W 3/8
0032	25A	1	34.0	2.8	25	M 8×25	25	78	W 3/8
0047	32A	1 1/4	42.7	2.8	25	M 8×25	25	82	W 3/8
0051	40A	1 1/2	48.6	2.8	25	M 8×25	25	85	W 3/8
0066	50A	2	60.5	2.8	25	M 8×25	25	91	W 3/8
0085	65A	2 1/2	76.3	2.8	25	M10×30	25	98	W 3/8
0090	80A	3	89.1	2.8	25	M10×30	25	104	W 3/8
0102	100A	4	114.3	2.8	25	M10×30	25	117	W 3/8
0117	125A	5	139.8	3.2	32	M12×45	36	144	W 1/2
0121	150A	6	165.2	3.2	32	M12×45	36	157	W 1/2




A12963 HAYATSURI

Work efficient and safe hinged suspension band for SGP pipes

Part number A12963 HAYATSURI

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	Hanging bolt diameter
0017	15A	1/2	φ21.7	1.8	25	M 6×20L	26	W 3/8
0021	20A	3/4	φ27.2	1.8	25	M 6×20L	26	W 3/8
0036	25A	1	φ34.0	1.8	25	M 6×20L	26	W 3/8
0055	32A	1 1/4	φ42.7	1.8	25	M 6×20L	26	W 3/8
0060	40A	1 1/2	φ48.6	1.8	25	M 6×20L	26	W 3/8
0074	50A	2	φ60.5	1.8	25	M 8×20L	26	W 3/8
0089	65A	2 1/2	φ76.3	2.3	25	M 8×20L	26	W 3/8
0093	80A	3	φ89.1	2.3	25	M 8×20L	26	W 3/8
0106	100A	4	φ114.3	2.3	25	M 8×20L	26	W 3/8



Dipped hanging band series —Soft PVC-coated type—

Lantern type hanging bands for electrical insulation / Soft PVC-coated type

A10148 Dipped hanging band without turnbuckle for SG pipe

For SGP pipe

Part number A10148 Dipped hanging band without turnbuckle for SG pipe Units (mm)

Size code	Size	Nominal diameter	Applicable pipe outer diameter (SG)	t	C	Tightening bolt Dia. x Length	D	Hanging bolt diameter	F
0018	SG- 15	1/2	21.7	0.6	25	M 6×25	26	W 3/8	6
0022	SG- 20	3/4	27.2	0.6	25	M 6×25	26	W 3/8	6
0037	SG- 25	1	34.0	0.6	25	M 6×25	26	W 3/8	6
0041	SG- 32	1 1/4	42.7	0.8	25	M 8×25	26	W 3/8	6
0056	SG- 40	1 1/2	48.6	0.8	25	M 8×25	26	W 3/8	6
0075	SG- 50	2	60.5	0.8	25	M 8×25	26	W 3/8	6
0080	SG- 65	2 1/2	76.3	1.0	32	M 8×25	26	W 3/8	6
0094	SG- 80	3	89.1	1.0	32	M 8×25	26	W 3/8	6
0107	SG-100	4	114.3	1.0	32	M 8×25	26	W 3/8	6
0111	SG-125	5	139.8	3.2	32	M10×30	36	W 1/2	8
0126	SG-150	6	165.2	3.2	32	M10×30	36	W 1/2	8

Coating color: ivory ●

A10150 Dipped hanging band without turnbuckle for CU pipe

For copper pipe

Part number A10150 Dipped hanging band without turnbuckle for CU pipe Units (mm)

Size code	Size	Nominal diameter	Applicable pipe outer diameter (Cu)	t	C	Tightening bolt Dia. x Length	D	Hanging bolt diameter	F
0016	CU- 8	1/4	9.52	0.6	25	M 6×25	26	W 3/8	6
0035	CU- 10	3/8	12.70	0.6	25	M 6×25	26	W 3/8	6
0040	CU- 15	1/2	15.88	0.6	25	M 6×25	26	W 3/8	6
0054	CU- 19	5/8	19.05	0.6	25	M 6×25	26	W 3/8	6
0069	CU- 20	3/4	22.22	0.6	25	M 6×25	26	W 3/8	6
0073	No.5	For air conditioning	25.40	0.6	25	M 6×25	26	W 3/8	6
0088	CU- 25	1	28.58	0.6	25	M 6×25	26	W 3/8	6
0092	CU- 32	1 1/4	34.92	0.6	25	M 6×25	26	W 3/8	6
0105	CU- 40	1 1/2	41.28	0.6	25	M 6×25	26	W 3/8	6
0110	CU- 50	2	53.98	0.6	25	M 6×25	26	W 3/8	6
0124	CU- 65	2 1/2	66.68	0.8	25	M 8×25	26	W 3/8	6
0139	CU- 80	3	79.38	0.8	25	M 8×25	26	W 3/8	6
0143	CU-100	4	104.78	0.8	25	M 8×25	26	W 3/8	6
0158	CU-125	5	130.18	3.2	32	M10×30	36	W 1/2	8
0162	CU-150	6	155.58	3.2	32	M10×30	36	W 1/2	8

Coating color: black ●

A10153 Dipped hanging band without turnbuckle for SU pipe

For stainless steel thin-walled pipe (SU Molco Pipe)

Part number A10153 Dipped hanging band without turnbuckle for SU pipe Units (mm)

Size code	Size	Nominal diameter	Applicable pipe outer diameter (Su)	t	C	Tightening bolt Dia. x Length	D	Hanging bolt diameter	F
0018	SU- 13	1/2	15.88	0.6	25	M 6×25	26	W 3/8	6
0022	SU- 20	3/4	22.22	0.6	25	M 6×25	26	W 3/8	6
0037	SU- 25	1	28.58	0.6	25	M 6×25	26	W 3/8	6
0041	SU- 30	(1)	34.0	0.6	25	M 6×25	26	W 3/8	6
0056	SU- 40	1 1/4	42.7	0.8	25	M 8×25	26	W 3/8	6
0075	SU- 50	1 1/2	48.6	0.8	25	M 8×25	26	W 3/8	6
0080	SU- 60	2	60.5	0.8	25	M 8×25	26	W 3/8	6
0094	SU- 75	2 1/2	76.3	1.0	32	M 8×25	26	W 3/8	6
0107	SU- 80	3	89.1	1.0	32	M 8×25	26	W 3/8	6
0111	SU-100	4	114.3	1.0	32	M 8×25	26	W 3/8	6
0126	SU-125	5	139.8	3.2	32	M10×30	36	W 1/2	8
0145	SU-150	6	165.2	3.2	32	M10×30	36	W 1/2	8

Coating color: blue ●

Suspended Pipe Fittings

Lantern type hanging bands for electrical insulation / Soft PVC-coated type

A10149 Dipped hanging band with turnbuckle for SG pipe

For SGP pipe

Part number A10149 Dipped hanging band with turnbuckle for SG pipe

Units (mm)

Size code	Size	Nominal diameter	Applicable pipe outer diameter (SG)	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0015	SG- 15	1/2	21.7	0.6	25	M 6×25	26	64	W 3/8
0020	SG- 20	3/4	27.2	0.6	25	M 6×25	26	67	W 3/8
0034	SG- 25	1	34.0	0.6	25	M 6×25	26	70	W 3/8
0049	SG- 32	1 1/4	42.7	0.8	25	M 8×25	26	74	W 3/8
0053	SG- 40	1 1/2	48.6	0.8	25	M 8×25	26	77	W 3/8
0068	SG- 50	2	60.5	0.8	25	M 8×25	26	83	W 3/8
0072	SG- 65	2 1/2	76.3	1.0	32	M 8×25	26	98	W 3/8
0087	SG- 80	3	89.1	1.0	32	M 8×25	26	105	W 3/8
0091	SG-100	4	114.3	1.0	32	M 8×25	26	117	W 3/8
0104	SG-125	5	139.8	3.2	32	M10×30	36	145	W 1 1/2
0119	SG-150	6	165.2	3.2	32	M10×30	36	157	W 1 1/2

Coating color: ivory ●

A10151 Dipped hanging band with turnbuckle for CU pipe

For copper pipe

Part number A10151 Dipped hanging band with turnbuckle for CU pipe

Units (mm)

Size code	Size	Nominal diameter	Applicable pipe outer diameter (Cu)	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0013	CU- 8	1/4	9.52	0.6	25	M 6×25	26	58	W 3/8
0028	CU- 10	3/8	12.70	0.6	25	M 6×25	26	59	W 3/8
0032	CU- 15	1/2	15.88	0.6	25	M 6×25	26	61	W 3/8
0047	CU- 19	5/8	19.05	0.6	25	M 6×25	26	63	W 3/8
0051	CU- 20	3/4	22.22	0.6	25	M 6×25	26	64	W 3/8
0066	No.5	For air conditioning	25.40	0.6	25	M 6×25	26	66	W 3/8
0085	CU- 25	1	28.58	0.6	25	M 6×25	26	67	W 3/8
0090	CU- 32	1 1/4	34.92	0.6	25	M 6×25	26	71	W 3/8
0102	CU- 40	1 1/2	41.28	0.6	25	M 6×25	26	74	W 3/8
0117	CU- 50	2	53.98	0.6	25	M 6×25	26	80	W 3/8
0121	CU- 65	2 1/2	66.68	0.8	25	M 8×25	26	86	W 3/8
0136	CU- 80	3	79.38	0.8	25	M 8×25	26	92	W 3/8
0155	CU-100	4	104.78	0.8	25	M 8×25	26	105	W 3/8
0160	CU-125	5	130.18	3.2	32	M10×30	36	140	W 1 1/2
0174	CU-150	6	155.58	3.2	32	M10×30	36	152	W 1 1/2

Coating color: black ●

A10154 Dipped hanging band with turnbuckle for SU pipe

For stainless steel thin-walled pipe (SU Molco Pipe)

Part number A10154 Dipped hanging band with turnbuckle for SU pipe

Units (mm)

Size code	Size	Nominal diameter	Applicable pipe outer diameter (Su)	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0015	SU- 13	1/2	15.88	0.6	25	M 6×25	26	61	W 3/8
0020	SU- 20	3/4	22.22	0.6	25	M 6×25	26	64	W 3/8
0034	SU- 25	1	28.58	0.6	25	M 6×25	26	67	W 3/8
0049	SU- 30	(1)	34.0	0.6	25	M 6×25	26	70	W 3/8
0053	SU- 40	1 1/4	42.7	0.8	25	M 8×25	26	74	W 3/8
0068	SU- 50	1 1/2	48.6	0.8	25	M 8×25	26	77	W 3/8
0072	SU- 60	2	60.5	0.8	25	M 8×25	26	83	W 3/8
0087	SU- 75	2 1/2	76.3	1.0	32	M 8×25	26	98	W 3/8
0091	SU- 80	3	89.1	1.0	32	M 8×25	26	105	W 3/8
0104	SU-100	4	114.3	1.0	32	M 8×25	26	117	W 3/8
0176	SU-125	5	139.8	3.2	32	M10×30	36	145	W 1 1/2
0195	SU-150	6	165.2	3.2	32	M10×30	36	157	W 1 1/2

Coating color: blue ●

A10155 Hanging band without turnbuckle for CL pipe

Hinged hanging band for outer surface coated steel pipe

Part number A10155 Hanging band without turnbuckle for CL pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0012	15A	$\frac{1}{2}$	25.7	2.0	25	M 6×20	26	6
0027	20A	$\frac{3}{4}$	31.2	2.0	25	M 6×20	26	6
0031	25A	1	37.6	2.0	25	M 6×20	26	6
0046	32A	$1\frac{1}{4}$	46.3	2.0	25	M 6×25	26	6
0065	40A	$1\frac{1}{2}$	52.2	2.0	25	M 6×25	26	6
0070	50A	2	64.1	2.0	25	M 6×25	26	6
0084	65A	$2\frac{1}{2}$	79.9	2.3	25	M 8×25	26	6
0099	80A	3	92.7	2.3	25	M 8×25	26	6
0101	100A	4	118.3	2.3	25	M 8×25	26	6

A10202 Stainless steel hanging band without turnbuckle for CL pipe

Hinged hanging band for outer surface coated steel pipe

Part number A10202 Stainless steel hanging band without turnbuckle for CL pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0014	15A	$\frac{1}{2}$	25.7	2.0	25	M6×20	26	6
0029	20A	$\frac{3}{4}$	31.2	2.0	25	M6×20	26	6
0033	25A	1	37.6	2.0	25	M6×20	26	6
0048	32A	$1\frac{1}{4}$	46.3	2.0	25	M6×25	26	6
0052	40A	$1\frac{1}{2}$	52.2	2.0	25	M6×25	26	6
0067	50A	2	64.1	2.0	25	M6×25	26	6
0071	65A	$2\frac{1}{2}$	79.9	2.0	25	M8×25	26	6
0086	80A	3	92.7	2.0	25	M8×25	26	6
0103	100A	4	118.3	2.0	25	M8×25	26	6

A10156 Hanging band with turnbuckle for CL pipe

Hinged hanging band for outer surface coated steel pipe

Part number A10156 Hanging band with turnbuckle for CL pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0010	15A	$\frac{1}{2}$	25.7	2.0	25	M 6×25	26	67	W $\frac{3}{8}$
0024	20A	$\frac{3}{4}$	31.2	2.0	25	M 6×25	26	70	W $\frac{3}{8}$
0039	25A	1	37.6	2.0	25	M 6×25	26	73	W $\frac{3}{8}$
0043	32A	$1\frac{1}{4}$	46.3	2.0	25	M 6×25	26	78	W $\frac{3}{8}$
0058	40A	$1\frac{1}{2}$	52.2	2.0	25	M 6×25	26	81	W $\frac{3}{8}$
0062	50A	2	64.1	2.0	25	M 6×25	26	87	W $\frac{3}{8}$
0077	65A	$2\frac{1}{2}$	79.9	2.3	25	M 8×25	26	94	W $\frac{3}{8}$
0081	80A	3	92.7	2.3	25	M 8×25	26	100	W $\frac{3}{8}$
0096	100A	4	118.3	2.3	25	M 8×25	26	113	W $\frac{3}{8}$

A10203 Stainless steel hanging band with turnbuckle for CL pipe

Hinged hanging band for outer surface coated steel pipe

Part number A10203 Hanging band with turnbuckle for stainless steel CL pipe

Units (mm)

Size code	Size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0011	15A	$\frac{1}{2}$	25.7	2.0	25	M 6×25	26	67	W $\frac{3}{8}$
0026	20A	$\frac{3}{4}$	31.2	2.0	25	M 6×25	26	70	W $\frac{3}{8}$
0045	25A	1	37.6	2.0	25	M 6×25	26	73	W $\frac{3}{8}$
0050	32A	$1\frac{1}{4}$	46.3	2.0	25	M 6×25	26	78	W $\frac{3}{8}$
0064	40A	$1\frac{1}{2}$	52.2	2.0	25	M 6×25	26	81	W $\frac{3}{8}$
0079	50A	2	64.1	2.0	25	M 6×25	26	87	W $\frac{3}{8}$
0083	65A	$2\frac{1}{2}$	79.9	2.0	25	M 8×25	26	93	W $\frac{3}{8}$
0098	80A	3	92.7	2.0	25	M 8×25	26	100	W $\frac{3}{8}$
0115	100A	4	118.3	2.0	25	M 8×25	26	113	W $\frac{3}{8}$

*Consult Akagi for 125A and above

Suspended Pipe Fittings

1


Suspended Pipe Fittings



A10157



A10204



A10157 Hanging band without turnbuckle for VP pipe


A10204 Stainless steel hanging band without turnbuckle for VP pipe

Lantern type hanging band for VP pipe

Part number A10157 Hanging band without turnbuckle for VP pipe

A10204 Stainless steel hanging band without turnbuckle for VP pipe Units (mm)

Size code		Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
A10157	A10204							
0017	0019	13	18.0	1.0	25	M6×25	26	6
0021	0023	16	22.0	1.0	25	M6×25	26	6
0036	0038	20	26.0	1.0	25	M6×25	26	6
0055	0042	25	32.0	1.0	25	M6×25	26	6
0178	0170	30	38.0	1.0	25	M6×25	26	6
0182	0184	40	48.0	1.0	25	M6×25	26	6
0197	0199	50	60.0	1.0	25	M6×25	26	6
0093	0095	65	76.0	1.0	32	M8×25	26	6
0106	0108	75	89.0	1.0	32	M8×25	26	6
0125	0112	100	114.0	1.0	32	M8×25	26	6
0130	0127	125	140.0	2.0	32	M8×25	36	8
0144	0131	150	165.0	2.0	32	M8×25	36	8
0159	0146	200	216.0	2.0	32	M8×25	36	8
0163	0165	250	267.0	2.0	32	M8×25	36	8




A10158 Hanging band with turnbuckle for VP pipe

Lantern type hanging band for VP pipe

Part number A10158 Hanging band with turnbuckle for VP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0014	13	18.0	1.0	25	M6×25	26	63	W ³ / ₈
0029	16	22.0	1.0	25	M6×25	26	65	W ³ / ₈
0033	20	26.0	1.0	25	M6×25	26	67	W ³ / ₈
0048	25	32.0	1.0	25	M6×25	26	70	W ³ / ₈
0245	30	38.0	1.0	25	M6×25	26	73	W ³ / ₈
0250	40	48.0	1.0	25	M6×25	26	78	W ³ / ₈
0264	50	60.0	1.0	25	M6×25	26	84	W ³ / ₈
0086	65	76.0	1.0	32	M8×25	26	98	W ³ / ₈
0103	75	89.0	1.0	32	M8×25	26	105	W ³ / ₈
0118	100	114.0	1.0	32	M8×25	26	117	W ³ / ₈
0122	125	140.0	2.0	32	M8×25	36	138	W ³ / ₈
0137	150	165.0	2.0	32	M8×25	36	150	W ³ / ₈
0141	200	216.0	2.0	32	M8×25	36	176	W ³ / ₈
0156	250	267.0	2.0	32	M8×25	36	201	W ³ / ₈



A10205 Stainless steel hanging band with turnbuckle for VP pipe

Lantern type hanging band for VP pipe

Part number A10205 Stainless steel hanging band with turnbuckle for VP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0016	13	18.0	1.0	25	M6×25	26	63	W ³ / ₈
0035	16	22.0	1.0	25	M6×25	26	65	W ³ / ₈
0040	20	26.0	1.0	25	M6×25	26	67	W ³ / ₈
0054	25	32.0	1.0	25	M6×25	26	70	W ³ / ₈
0209	30	38.0	1.0	25	M6×25	26	73	W ³ / ₈
0213	40	48.0	1.0	25	M6×25	26	78	W ³ / ₈
0228	50	60.0	1.0	25	M6×25	26	84	W ³ / ₈
0092	65	76.0	1.0	32	M8×25	26	91	W ³ / ₈
0105	75	89.0	1.0	32	M8×25	26	97	W ³ / ₈
0110	100	114.0	1.0	32	M8×25	26	110	W ³ / ₈
0124	125	140.0	2.0	32	M8×25	36	139	W ³ / ₈
0139	150	165.0	2.0	32	M8×25	36	151	W ³ / ₈
0143	200	216.0	2.0	32	M8×25	36	177	W ³ / ₈
0158	250	267.0	2.0	32	M8×25	36	202	W ³ / ₈



A10159 Hanging band for vinyl SU pipe

Hinged hanging band for vinyl SU pipe

Part number A10159 Hanging band for vinyl SU pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0011	50	54	2.3	25	M 8×25	26	8
0026	65	68	2.3	25	M 8×25	26	8
0045	75	80	2.3	25	M 8×25	26	8
0050	100	106	2.3	25	M 8×25	26	8
0064	125	134	3.2	32	M10×30	36	10
0079	150	165	3.2	32	M10×30	36	10

A10160 Hanging band with turnbuckle for vinyl SU pipe

Hinged hanging band for vinyl SU pipe

Part number A10160 Hanging band with turnbuckle for vinyl SU pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0012	50	54	2.3	25	M 8×25	26	81	W ³ / ₈
0027	65	68	2.3	25	M 8×25	26	88	W ³ / ₈
0031	75	80	2.3	25	M 8×25	26	94	W ³ / ₈
0046	100	106	2.3	25	M 8×25	26	107	W ³ / ₈
0065	125	134	3.2	32	M10×30	36	142	W ¹ / ₂
0070	150	165	3.2	32	M10×30	36	157	W ¹ / ₂

A10161 Hanging band for cast-iron pipe

Hinged hanging band for cast-iron drain pipe

Part number A10161 Hanging band for cast-iron pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0010	50A	2	62	2.3	25	M 8×25	26	8
0024	75A	3	84	2.3	25	M 8×25	26	8
0039	100A	4	109	2.3	25	M 8×25	26	8
0043	125A	5	134	3.2	32	M10×30	36	10
0058	150A	6	159	3.2	32	M10×30	36	10

A10209 Stainless steel hanging band for cast-iron pipe

Hinged hanging band for cast-iron drain pipe

Part number A10209 Stainless steel hanging band for cast-iron pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0015	50A	2	62	2.0	25	M 8×25	26	8
0020	75A	3	84	2.0	25	M 8×25	26	8
0034	100A	4	109	2.0	25	M 8×25	26	8
0049	125A	5	134	3.0	32	M10×35	36	10
0053	150A	6	159	3.0	32	M10×35	36	10

Suspended Pipe Fittings

1

Suspended Pipe Fittings

A10162 Hanging band with turnbuckle for cast-iron pipe

Hinged hanging band for cast-iron drain pipe

Part number A10162

Hanging band with turnbuckle for cast-iron pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0017	50A	2	62	2.3	25	M 8×25	26	85	W ³ / ₈
0021	75A	3	84	2.3	25	M 8×25	26	96	W ³ / ₈
0036	100A	4	109	2.3	25	M 8×25	26	108	W ³ / ₈
0055	125A	5	134	3.2	32	M10×30	36	142	W ¹ / ₂
0060	150A	6	159	3.2	32	M10×30	36	154	W ¹ / ₂

A10210 Stainless steel hanging band with turnbuckle for cast-iron pipe

Hinged hanging band for cast-iron drain pipe

Part number A10210

Stainless steel hanging band with turnbuckle for cast-iron pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0016	50A	2	62	2.0	25	M 8×25	26	85	W ³ / ₈
0035	75A	3	84	2.0	25	M 8×25	26	96	W ³ / ₈
0040	100A	4	109	2.0	25	M 8×25	26	108	W ³ / ₈
0054	125A	5	134	3.0	32	M10×35	36	141	W ¹ / ₂
0069	150A	6	159	3.0	32	M10×35	36	153	W ¹ / ₂

A10163 Assembled hanging band without turnbuckle for cast-iron pipe

Assembled hanging band for cast-iron drain pipe

Part number A10163

Assembled hanging band without turnbuckle for cast-iron pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0014	75A	3	84	2.3	25	M8×25	26	8
0029	100A	4	109	2.3	25	M8×25	26	8
0033	125A	5	134	3.2	32	M8×30	36	10
0048	150A	6	159	3.2	32	M8×30	36	10

A10164 Assembled hanging band with turnbuckle for cast-iron pipe

Assembled hanging band for cast-iron drain pipe

Part number A10164

Assembled hanging band with turnbuckle for cast-iron pipe

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0011	75A	3	84	2.3	25	M8×25	26	96	W ³ / ₈
0026	100A	4	109	2.3	25	M8×25	26	108	W ³ / ₈
0045	125A	5	134	3.2	32	M8×30	36	143	W ¹ / ₂
0050	150A	6	159	3.2	32	M8×30	36	155	W ¹ / ₂

A10165 Hanging band without turnbuckle for TN pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A10165 Hanging band without turnbuckle for TN pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0019	40	63	2.3	25	M 8×30	26	8
0023	50	75 to 76	2.3	25	M 8×30	26	8
0038	65	91 to 92	2.3	25	M 8×30	26	8
0042	75	104 to 105	2.3	25	M 8×30	26	8
0057	100	131 to 132	2.3	25	M 8×30	26	8
0061	125	155 to 156	3.2	32	M10×35	36	10
0076	150	183	3.2	32	M12×45	36	10

A10206 Stainless steel hanging band for TN pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A10206 Stainless steel hanging band for TN pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0013	40	63	2.0	25	M 8×25	26	8
0028	50	75 to 76	2.0	25	M 8×25	26	8
0032	65	91 to 92	2.0	25	M 8×25	26	8
0047	75	104 to 105	2.0	25	M 8×25	26	8
0051	100	131 to 132	2.0	25	M 8×25	26	8
0066	125	155 to 156	3.0	32	M10×35	36	10
0085	150	183	3.0	32	M12×45	36	10

A10166 Hanging band with turnbuckle for TN pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A10166 Hanging band with turnbuckle for TN pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0016	40	63	2.3	25	M 8×30	26	85	W ³ / ₈
0035	50	75 to 76	2.3	25	M 8×30	26	91	W ³ / ₈
0040	65	91 to 92	2.3	25	M 8×30	26	99	W ³ / ₈
0054	75	104 to 105	2.3	25	M 8×30	26	106	W ³ / ₈
0069	100	131 to 132	2.3	25	M 8×30	26	119	W ³ / ₈
0073	125	155 to 156	3.2	32	M10×35	36	152	W ¹ / ₂
0088	150	183	3.2	32	M12×45	36	166	W ¹ / ₂

A10208 Stainless steel hanging band with turnbuckle for TN pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A10208

Stainless steel hanging band with turnbuckle for TN pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	c	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0018	40	63	2.0	25	M 8×25	26	85	W ³ / ₈
0022	50	75 to 76	2.0	25	M 8×25	26	91	W ³ / ₈
0037	65	91 to 92	2.0	25	M 8×25	26	99	W ³ / ₈
0041	75	104 to 105	2.0	25	M 8×25	26	106	W ³ / ₈
0056	100	131 to 132	2.0	25	M 8×25	26	119	W ³ / ₈
0075	125	155 to 156	3.0	32	M10×35	36	152	W ¹ / ₂
0080	150	183	3.0	32	M12×45	36	166	W ¹ / ₂

Suspended Pipe Fittings

1


Suspended Pipe Fittings

A14203 Hanging band without turnbuckle for TNF pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A14203 Hanging band without turnbuckle for TNF pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0081	25	45	2.0	25	M 6×25	26	6
0096	30	51	2.0	25	M 6×25	26	6
0010	40	60 to 61	2.3	25	M 8×30	26	8
0024	50	73	2.3	25	M 8×30	26	8
0039	65	89	2.3	25	M 8×30	26	8
0043	75	102	2.3	25	M 8×30	26	8
0058	100	128 to 129	2.3	25	M 8×30	26	8
0062	125	155 to 156	3.2	32	M10×35	36	10
0077	150	183	3.2	32	M12×45	36	10




A14204 Hanging band with turnbuckle for TNF pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A14204 Hanging band with turnbuckle for TNF pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	c	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0125	25	45	2.0	25	M 6×25	26	75	W $\frac{3}{8}$
0130	30	51	2.0	25	M 6×25	26	78	W $\frac{3}{8}$
0017	40	60 to 61	2.3	25	M 8×30	26	84	W $\frac{3}{8}$
0021	50	73	2.3	25	M 8×30	26	90	W $\frac{3}{8}$
0036	65	89	2.3	25	M 8×30	26	98	W $\frac{3}{8}$
0055	75	102	2.3	25	M 8×30	26	105	W $\frac{3}{8}$
0060	100	128 to 129	2.3	25	M 8×35	26	118	W $\frac{3}{8}$
0093	125	155 to 156	3.2	32	M10×30	36	152	W $\frac{1}{2}$
0106	150	183	3.2	32	M12×45	36	166	W $\frac{1}{2}$




A16000 Stainless steel hanging band with turnbuckle for TNF pipe

Hinged hanging band for fireproof double-layer pipe (FDP)

Part number A16000

Stainless steel hanging band with turnbuckle for TNF pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	c	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0016	40	60 to 61	2.0	25	M 8×25	26	84	W $\frac{3}{8}$
0035	50	73	2.0	25	M 8×25	26	90	W $\frac{3}{8}$
0040	65	89	2.0	25	M 8×25	26	98	W $\frac{3}{8}$
0054	75	102	2.0	25	M 8×25	26	105	W $\frac{3}{8}$
0069	100	128 to 129	2.0	25	M 8×25	26	118	W $\frac{3}{8}$
0073	125	155 to 156	3.0	32	M10×35	36	152	W $\frac{1}{2}$
0088	150	183	3.0	32	M12×45	36	166	W $\frac{1}{2}$



A10167 Assembled hanging band without turnbuckle for TN pipe


Assembled hanging band for fireproof double-layer pipe (FDP)

Part number A10167

Assembled hanging band without turnbuckle for TN pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	c	Tightening bolt Dia. x Length	D	F
0013	40	61·63·65	1.6	25	M 6×25	26	6
0028	50	73·75·77	1.6	25	M 6×25	26	6
0032	65	89·91·93	1.6	25	M 6×25	26	6
0047	75	102·104·106	1.6	25	M 6×25	26	6
0051	100	129·131·133	1.6	25	M 6×25	26	6
0066	125	155·158·161	2.0	32	M10×30	36	8
0085	150	182·185·188	2.0	32	M10×30	36	8



A10169 Assembled hanging band with turnbuckle for TN pipe


Assembled hanging band for fireproof double-layer pipe (FDP)

Part number A10169

Assembled hanging band with turnbuckle for TN pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	c	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0018	40	61·63·65	1.6	25	M 6×25	26	86	W $\frac{3}{8}$
0022	50	73·75·77	1.6	25	M 6×25	26	92	W $\frac{3}{8}$
0037	65	89·91·93	1.6	25	M 6×25	26	100	W $\frac{3}{8}$
0041	75	102·104·106	1.6	25	M 6×25	26	106	W $\frac{3}{8}$
0056	100	129·131·133	1.6	25	M 6×25	26	120	W $\frac{3}{8}$
0075	125	155·158·161	2.0	32	M10×30	36	153	W $\frac{1}{2}$
0080	150	182·185·188	2.0	32	M10×30	36	166	W $\frac{1}{2}$



A23047 Hanging band with turnbuckle for polyethylene pipe

Confirm delivery

A23054 Stainless steel hanging band with turnbuckle for polyethylene pipe

Confirm delivery

Hanging band for mains water polyethylene pipe

Part number A23047 Hanging band with turnbuckle for polyethylene pipe

A23054 Stainless steel hanging band with turnbuckle for polyethylene pipe

Units (mm)

Diameter size (A)	Applicable pipe outer diameter	Size code	
		A23047 Steel	A23054 SUS304
20A	27	0012	0017
25A	32	0027	0021
30A	40	0031	0036
40A	50	0046	0055
50A	63	0065	0060
75A	90	0070	0074
100A	125	0084	0089
150A	180	0099	0093
200A	250	0101	0106



A23047

A23054

Suspended Pipe Fittings

1

Suspended Pipe Fittings


A10172 Anti-vibration hanging band (for SGP pipe) Confirm delivery

Anti-vibration supplementary hanging band for SGP pipe / With 10 mm rubber

Part number A10172 Anti-vibration hanging band (for SGP pipe) Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0013	15A	1/2	21.7	2.3	25	M 8×25	26	8
0028	20A	3/4	27.2	2.3	25	M 8×25	26	8
0032	25A	1	34.0	2.3	25	M 8×25	26	8
0047	32A	1 1/4	42.7	2.3	25	M 8×25	26	8
0051	40A	1 1/2	48.6	2.3	25	M 8×25	26	8
0066	50A	2	60.5	2.3	25	M 8×25	26	8
0085	65A	2 1/2	76.3	3.2	25	M10×30	26	8
0090	80A	3	89.1	3.2	25	M10×30	26	8
0102	100A	4	114.3	3.2	25	M10×30	26	8
0117	125A	5	139.8	4.5	32	M12×45	35	10
0121	150A	6	165.2	4.5	32	M12×45	35	10

The shape of the rubber may change for larger diameters.




A10214 Stainless steel anti-vibration hanging band with 10 t rubber Made to order

Anti-vibration supplementary hanging band for SGP pipe / With 10 mm rubber

Part number A10214 Stainless steel anti-vibration hanging band with 10 t rubber Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0015	15A	1/2	21.7	2.0	25	M 8×25	26	8
0020	20A	3/4	27.2	2.0	25	M 8×25	26	8
0034	25A	1	34.0	2.0	25	M 8×25	26	8
0049	32A	1 1/4	42.7	2.0	25	M 8×25	26	8
0053	40A	1 1/2	48.6	2.0	25	M 8×25	26	8
0068	50A	2	60.5	2.0	25	M 8×25	26	8
0072	65A	2 1/2	76.3	2.0	25	M 8×25	26	8
0087	80A	3	89.1	2.0	25	M 8×25	26	8
0091	100A	4	114.3	2.0	25	M 8×25	26	8
0104	125A	5	139.8	3.0	32	M10×35	35	10
0119	150A	6	165.2	3.0	32	M12×45	35	10

The shape of the rubber may change for larger diameters.




A10174 Anti-vibration hanging band with lock Confirm delivery

Anti-vibration supplementary hanging band for SGP pipe / With 10 mm rubber

Part number A10174 Anti-vibration hanging band with lock Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0018	15A	1/2	21.7	2.3	25	M 8×25	26	82	W 3/8
0022	20A	3/4	27.2	2.3	25	M 8×25	26	85	W 3/8
0037	25A	1	34.0	2.3	25	M 8×25	26	88	W 3/8
0041	32A	1 1/4	42.7	2.3	25	M 8×25	26	93	W 3/8
0056	40A	1 1/2	48.6	2.3	25	M 8×25	26	96	W 3/8
0075	50A	2	60.5	2.3	25	M 8×25	26	102	W 3/8
0080	65A	2 1/2	76.3	3.2	25	M10×30	26	109	W 3/8
0094	80A	3	89.1	3.2	25	M10×30	26	116	W 3/8
0107	100A	4	114.3	3.2	25	M10×30	26	128	W 3/8
0111	125A	5	139.8	4.5	32	M12×45	35	153	W 1/2
0126	150A	6	165.2	4.5	32	M12×45	35	166	W 1/2

The shape of the rubber may change for larger diameters.



A10215

Stainless steel anti-vibration hanging band with turnbuckle and 10 t rubber

Made to order


Anti-vibration supplementary hanging band for SGP pipe / With 10 mm rubber

Part number A10215

Stainless steel anti-vibration hanging band with turnbuckle and 10 t rubber Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter	F
0012	15A	1/2	21.7	2.0	25	M 8×25	26	74	W 3/8	8
0027	20A	3/4	27.2	2.0	25	M 8×25	26	77	W 3/8	8
0031	25A	1	34.0	2.0	25	M 8×25	26	81	W 3/8	8
0046	32A	1 1/4	42.7	2.0	25	M 8×25	26	85	W 3/8	8
0065	40A	1 1/2	48.6	2.0	25	M 8×25	26	88	W 3/8	8
0070	50A	2	60.5	2.0	25	M 8×25	26	94	W 3/8	8
0084	65A	2 1/2	76.3	2.0	25	M 8×25	26	103	W 3/8	8
0099	80A	3	89.1	2.0	25	M 8×25	26	109	W 3/8	8
0101	100A	4	114.3	2.0	25	M 8×25	26	122	W 3/8	8
0116	125A	5	139.8	3.0	32	M10×35	35	153	W 1/2	10
0135	150A	6	165.2	3.0	32	M12×45	35	166	W 1/2	10

The shape of the rubber may change for larger diameters.



A10175

Anti-vibration strengthened hanging band


Confirm delivery

Anti-vibration supplementary hanging band for SGP pipe / With 3 mm rubber

Part number A10175 Anti-vibration strengthened hanging band

Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0015	15A	1/2	21.7	2.3	25	M 6×25	26	6
0020	20A	3/4	27.2	2.3	25	M 6×25	26	6
0034	25A	1	34.0	2.3	25	M 6×25	26	6
0049	32A	1 1/4	42.7	2.3	25	M 8×25	26	6
0053	40A	1 1/2	48.6	2.3	25	M 8×25	26	6
0068	50A	2	60.5	2.3	25	M 8×25	26	6
0072	65A	2 1/2	76.3	2.3	25	M 8×25	26	6
0087	80A	3	89.1	2.3	25	M 8×25	26	6
0091	100A	4	114.3	2.3	25	M 8×25	26	6
0104	125A	5	139.8	3.2	32	M10×35	40	11
0119	150A	6	165.2	3.2	32	M12×45	40	11



A10211


Stainless steel anti-vibration hanging band with 3 t rubber

Made to order

Anti-vibration supplementary hanging band for SGP pipe / With 3 mm rubber

Part number A10211 Stainless steel anti-vibration hanging band with 3 t rubber Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0013	15A	1/2	21.7	2.0	25	M 6×25	26	8
0028	20A	3/4	27.2	2.0	25	M 6×25	26	8
0032	25A	1	34.0	2.0	25	M 6×25	26	8
0047	32A	1 1/4	42.7	2.0	25	M 6×25	26	8
0051	40A	1 1/2	48.6	2.0	25	M 6×25	26	8
0066	50A	2	60.5	2.0	25	M 6×25	26	8
0085	65A	2 1/2	76.3	2.0	25	M 8×25	26	8
0090	80A	3	89.1	2.0	25	M 8×25	26	8
0102	100A	4	114.3	2.0	25	M 8×25	26	8
0117	125A	5	139.8	3.0	32	M10×35	36	10
0121	150A	6	165.2	3.0	32	M12×45	36	10



Suspended Pipe Fittings

1

Suspended Pipe Fittings


A10176 Anti-vibration strengthened hanging band with lock

Confirm delivery

Anti-vibration supplementary hanging band for SGP pipe / With 3 mm rubber

Part number A10176 Anti-vibration strengthened hanging band with lock Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0012	15A	1/2	21.7	2.3	25	M 6×25	26	76	W 3/8
0027	20A	3/4	27.2	2.3	25	M 6×25	26	79	W 3/8
0031	25A	1	34.0	2.3	25	M 6×25	26	82	W 3/8
0046	32A	1 1/4	42.7	2.3	25	M 8×25	26	86	W 3/8
0065	40A	1 1/2	48.6	2.3	25	M 8×25	26	89	W 3/8
0070	50A	2	60.5	2.3	25	M 8×25	26	95	W 3/8
0084	65A	2 1/2	76.3	2.3	25	M 8×25	26	103	W 3/8
0099	80A	3	89.1	2.3	25	M 8×25	26	109	W 3/8
0101	100A	4	114.3	2.3	25	M 8×25	26	122	W 3/8
0116	125A	5	139.8	3.2	32	M10×35	40	151	W 1/2
0135	150A	6	165.2	3.2	32	M12×45	40	164	W 1/2



A10213 Stainless steel anti-vibration hanging band with turnbuckle and 3 t rubber


Made to order

Anti-vibration supplementary hanging band for SGP pipe / With 3 mm rubber

Part number A10213

Stainless steel anti-vibration hanging band with turnbuckle and 3 t rubber Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0018	15A	1/2	21.7	2.0	25	M 6×25	26	68	W 3/8
0022	20A	3/4	27.2	2.0	25	M 6×25	26	71	W 3/8
0037	25A	1	34.0	2.0	25	M 6×25	26	75	W 3/8
0041	32A	1 1/4	42.7	2.0	25	M 6×25	26	79	W 3/8
0056	40A	1 1/2	48.6	2.0	25	M 6×25	26	82	W 3/8
0075	50A	2	60.5	2.0	25	M 6×25	26	88	W 3/8
0080	65A	2 1/2	76.3	2.0	25	M 8×25	26	95	W 3/8
0094	80A	3	89.1	2.0	25	M 8×25	26	101	W 3/8
0107	100A	4	114.3	2.0	25	M 8×25	26	114	W 3/8
0111	125A	5	139.8	3.0	32	M10×35	36	146	W 1/2
0126	150A	6	165.2	3.0	32	M12×45	36	159	W 1/2




A10177 Anti-vibration hanging band with 3 t rubber for CL pipe

Confirm delivery

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 3 mm rubber

Part number A10177 Anti-vibration hanging band with 3 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0010	15A	1/2	25.7	2.0	25	M 6×20	26	6
0024	20A	3/4	31.2	2.0	25	M 6×20	26	6
0039	25A	1	37.6	2.0	25	M 6×20	26	6
0043	32A	1 1/4	46.3	2.0	25	M 6×20	26	6
0058	40A	1 1/2	52.2	2.0	25	M 8×25	26	6
0062	50A	2	64.1	2.0	25	M 8×25	26	6
0077	65A	2 1/2	79.9	2.0	25	M 8×25	26	6
0081	80A	3	92.7	2.0	25	M 8×25	26	6
0096	100A	4	118.3	2.0	25	M 8×25	26	6
0109	125A	5	143.8	3.2	32	M10×30	36	8
0113	150A	6	170.2	3.2	32	M12×45	36	8



Suspended Pipe Fittings

A10216

Stainless steel anti-vibration hanging band with 3 t rubber for CL pipe

Confirm delivery

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 3 mm rubber

Part number A10216 Stainless steel anti-vibration hanging band with 3 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0010	15A	1/2	25.7	2.0	25	M 6×20	26	6
0024	20A	3/4	31.2	2.0	25	M 6×25	26	6
0039	25A	1	37.6	2.0	25	M 6×25	26	6
0043	32A	1 1/4	46.3	2.0	25	M 6×25	26	6
0058	40A	1 1/2	52.2	2.0	25	M 6×25	26	6
0062	50A	2	64.1	2.0	25	M 6×25	26	6
0077	65A	2 1/2	79.9	2.0	25	M 8×25	26	6
0081	80A	3	92.7	2.0	25	M 8×25	26	6
0096	100A	4	118.3	2.0	25	M 8×25	26	6
0109	125A	5	143.8	3.0	32	M10×35	36	8
0113	150A	6	170.2	3.0	32	M12×45	36	8

A10178

Anti-vibration hanging band with lock and 3 t rubber for CL pipe

Confirm delivery

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 3 mm rubber

Part number A10178 Anti-vibration hanging band with lock and 3 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0017	15A	1/2	25.7	2.0	25	M 6×20	26	78	W 3/8
0021	20A	3/4	31.2	2.0	25	M 6×20	26	81	W 3/8
0036	25A	1	37.6	2.0	25	M 6×20	26	84	W 3/8
0055	32A	1 1/4	46.3	2.0	25	M 6×25	26	88	W 3/8
0060	40A	1 1/2	52.2	2.0	25	M 8×25	26	91	W 3/8
0074	50A	2	64.1	2.0	25	M 8×25	26	97	W 3/8
0089	65A	2 1/2	79.9	2.0	25	M 8×25	26	104	W 3/8
0093	80A	3	92.7	2.0	25	M 8×25	26	111	W 3/8
0106	100A	4	118.3	2.0	25	M 8×25	26	123	W 3/8
0125	125A	5	143.8	3.2	32	M10×30	36	149	W 1/2
0130	150A	6	170.2	3.2	32	M12×45	36	161	W 1/2

A10217

Stainless steel anti-vibration hanging band with turnbuckle and 3 t rubber for CL pipe

Confirm delivery

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 3 mm rubber

Part number A10217

Stainless steel anti-vibration hanging band with turnbuckle and 3 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0017	15A	1/2	25.7	2.0	25	M 6×20	26	70	W 3/8
0021	20A	3/4	31.2	2.0	25	M 6×25	26	73	W 3/8
0036	25A	1	37.6	2.0	25	M 6×25	26	76	W 3/8
0055	32A	1 1/4	46.3	2.0	25	M 6×25	26	81	W 3/8
0060	40A	1 1/2	52.2	2.0	25	M 6×25	26	84	W 3/8
0074	50A	2	64.1	2.0	25	M 6×25	26	90	W 3/8
0089	65A	2 1/2	79.9	2.0	25	M 8×25	26	96	W 3/8
0093	80A	3	92.7	2.0	25	M 8×25	26	103	W 3/8
0106	100A	4	118.3	2.0	25	M 8×25	26	116	W 3/8
0125	125A	5	143.8	3.0	32	M10×35	36	148	W 1/2
0130	150A	6	170.2	3.0	32	M12×45	36	161	W 1/2

Suspended Pipe Fittings

1

Suspended Pipe Fittings


A10179 Anti-vibration hanging band with 10 t rubber for CL pipe Confirm delivery

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 10 mm rubber

Part number A10179 Anti-vibration hanging band with 10 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0014	15A	1/2	25.7	2.0	25	M 6×25	26	8
0029	20A	3/4	31.2	2.0	25	M 6×25	26	8
0033	25A	1	37.6	2.0	25	M 8×25	26	8
0048	32A	1 1/4	46.3	2.3	25	M 8×25	26	8
0052	40A	1 1/2	52.2	2.3	25	M 8×25	26	8
0067	50A	2	64.1	2.3	25	M 8×25	26	8
0071	65A	2 1/2	79.9	2.0	25	M10×30	26	8
0086	80A	3	92.7	2.0	25	M10×30	26	8
0103	100A	4	118.3	2.0	25	M10×30	26	8
0118	125A	5	143.8	4.5	32	M12×45	35	10
0122	150A	6	170.2	4.5	32	M12×45	35	10

The shape of the rubber may change for larger diameters.




A10218 Stainless steel anti-vibration hanging band with 10 t rubber for CL pipe Made to order

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 10 mm rubber

Part number A10218 Stainless steel anti-vibration hanging band with 10 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0014	15A	1/2	25.7	2.0	25	M 8×25	26	8
0029	20A	3/4	31.2	2.0	25	M 8×25	26	8
0033	25A	1	37.6	2.0	25	M 8×25	26	8
0048	32A	1 1/4	46.3	2.0	25	M 8×25	26	8
0052	40A	1 1/2	52.2	2.0	25	M 8×25	26	8
0067	50A	2	64.1	2.0	25	M 8×25	26	8
0071	65A	2 1/2	79.9	2.0	25	M 8×25	26	8
0086	80A	3	92.7	2.0	25	M 8×25	26	8
0103	100A	4	118.3	2.0	25	M 8×25	26	8
0118	125A	5	143.8	3.0	32	M10×35	35	10
0122	150A	6	170.2	3.0	32	M12×45	35	10

The shape of the rubber may change for larger diameters.




A10180 Anti-vibration hanging band with lock and 10 t rubber for CL pipe Confirm delivery

Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 10 mm rubber

Part number A10180 Anti-vibration hanging band with lock and 10 t rubber for CL pipe Units (mm)

Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0015	15A	1/2	25.7	2.0	25	M 6×25	26	84	W 3/8
0020	20A	3/4	31.2	2.0	25	M 6×25	26	87	W 3/8
0034	25A	1	37.6	2.0	25	M 8×25	26	90	W 3/8
0049	32A	1 1/4	46.3	2.3	25	M 8×25	26	94	W 3/8
0053	40A	1 1/2	52.2	2.3	25	M 8×25	26	97	W 3/8
0068	50A	2	64.1	2.3	25	M 8×25	26	103	W 3/8
0072	65A	2 1/2	79.9	2.0	25	M10×30	26	111	W 3/8
0087	80A	3	92.7	2.0	25	M10×30	26	118	W 3/8
0091	100A	4	118.3	2.0	25	M10×30	26	130	W 3/8
0104	125A	5	143.8	4.5	32	M12×45	36	156	W 1/2
0119	150A	6	170.2	4.5	32	M12×45	36	170	W 1/2

The shape of the rubber may change for larger diameters.




Suspended Pipe Fittings

A10219

Stainless steel anti-vibration hanging band with turnbuckle and 10 t rubber for CL pipe

Made to order



Anti-vibration supplementary hanging band for outer surface coated steel pipe / With 10 mm rubber

Part number A10219

Stainless steel anti-vibration hanging band with turnbuckle and 10 t rubber for CL pipe Units (mm)


Size code	Diameter size (A)	Nominal diameter (B)	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0011	15A	$\frac{1}{2}$	25.7	2.0	25	M 8×25	26	76	W $\frac{3}{8}$
0026	20A	$\frac{3}{4}$	31.2	2.0	25	M 8×25	26	79	W $\frac{3}{8}$
0045	25A	1	37.6	2.0	25	M 8×25	26	82	W $\frac{3}{8}$
0050	32A	$1\frac{1}{4}$	46.3	2.0	25	M 8×25	26	87	W $\frac{3}{8}$
0064	40A	$1\frac{1}{2}$	52.2	2.0	25	M 8×25	26	90	W $\frac{3}{8}$
0079	50A	2	64.1	2.0	25	M 8×25	26	96	W $\frac{3}{8}$
0083	65A	$2\frac{1}{2}$	79.9	2.0	25	M 8×25	26	103	W $\frac{3}{8}$
0098	80A	3	92.7	2.0	25	M 8×25	26	110	W $\frac{3}{8}$
0115	100A	4	118.3	2.0	25	M 8×25	26	123	W $\frac{3}{8}$
0120	125A	5	143.8	3.0	32	M10×45	35	155	W $\frac{1}{2}$
0134	150A	6	170.2	3.0	32	M12×45	35	168	W $\frac{1}{2}$

The shape of the rubber may change for larger diameters.

A22934

Hanging band with turnbuckle for soundproof FDP pipe

Confirm delivery



Anti-vibration supplementary hanging band for soundproof type fireproof double-layer pipe (soundproof FDP pipe) / With 10 mm rubber

Part number A22934

Hanging band with turnbuckle for soundproof FDP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	Hanging bolt diameter
0019	40	77.0	3.2	25	M10×30	26	W $\frac{3}{8}$
0023	50	89.0	3.2	25	M10×30	26	W $\frac{3}{8}$
0038	65	106.0	3.2	25	M10×30	26	W $\frac{3}{8}$
0042	75	114.5	3.2	25	M10×30	26	W $\frac{3}{8}$
0057	100	141.0	4.5	32	M10×35	35	W $\frac{3}{8}$
0095	125	166.0	4.5	32	M10×35	35	W $\frac{1}{2}$
0108	150	196.0	4.5	32	M10×35	35	W $\frac{1}{2}$

The shape of the rubber may change for larger diameters.

Suspended Pipe Fittings

1

Suspended Pipe Fittings



A23046



A23053

A23046

Hanging band with turnbuckle and 3 t rubber for polyethylene pipe

Confirm delivery

A23053

Stainless steel hanging band with turnbuckle and 3 t rubber for polyethylene pipe

Confirm delivery

Hanging band for mains water polyethylene pipe / With 3 t rubber

Part number A23046 Hanging band with turnbuckle and 3 t rubber for polyethylene pipe

A23053 Stainless steel hanging band with turnbuckle and 3 t rubber for polyethylene pipe

Units (mm)

Diameter size (A)	Applicable pipe outer diameter	Size code	
		A23046	A23053
		Steel	SUS304
20A	27	0015	0010
25A	32	0020	0024
30A	40	0034	0039
40A	50	0049	0043
50A	63	0053	0058
75A	90	0068	0062
100A	125	0072	0077
150A	180	0087	0081
200A	250	0091	0096



A23096



A23097

A23096

Hanging band with turnbuckle and 10 t rubber for polyethylene pipe

Confirm delivery

A23097

Stainless steel hanging band with turnbuckle and 10 t rubber for polyethylene pipe

Confirm delivery

Hanging band for mains water polyethylene pipe / With 10 t rubber

Part number A23096 Hanging band with turnbuckle and 10 t rubber for polyethylene pipe

A23097 Stainless steel hanging band with turnbuckle and 10 t rubber for polyethylene pipe

Units (mm)

Diameter size (A)	Applicable pipe outer diameter	Size code	
		A23096	A23097
		Steel	SUS304
20A	27	0017	0014
25A	32	0021	0029
30A	40	0036	0033
40A	50	0055	0048
50A	63	0060	0052
75A	90	0074	0067
100A	125	0089	0071
150A	180	0093	0086
200A	250	0106	0103


A10222 Steel hanging band without turnbuckle for SP pipe

Hinged hanging band for spiral duct

Part number A10222

Steel hanging band without turnbuckle for SP pipe

Units (mm)



Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0017	φ 75	80	3.2	25	M10×30	26	6
0021	φ100	103	3.2	25	M10×30	26	6
0036	φ125	128	3.2	25	M10×30	26	6
0055	φ140	140	3.2	25	M10×30	26	6
0060	φ150	153	3.2	25	M10×30	26	6
0074	φ175	178	3.2	25	M10×30	26	6
0089	φ200	203	3.2	25	M10×30	26	6
0093	φ225	228	3.2	25	M10×30	26	6
0106	φ250	253	3.2	25	M10×30	26	6
0125	φ275	278	3.2	25	M10×30	26	6
0130	φ300	303	3.2	25	M10×30	26	6
0144	φ325	328	3.2	25	M10×30	26	6
0159	φ350	353	3.2	25	M10×30	26	6
0163	φ375	378	3.2	25	M10×30	26	6
0178	φ400	403	3.2	25	M10×30	26	6
0182	φ425	428	3.2	25	M10×30	26	6
0197	φ450	453	3.2	32	M10×30	26	6
0200	φ475	478	3.2	32	M10×30	26	6
0214	φ500	503	3.2	32	M10×30	26	6


A10223 Steel hanging band with turnbuckle for SP pipe

Hinged hanging band for spiral duct

Part number A10223

Steel hanging band with turnbuckle for SP pipe

Units (mm)



Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0014	φ 75	80	3.2	25	M10×30	26	94	W ³ / ₈
0029	φ100	103	3.2	25	M10×30	26	105	W ³ / ₈
0033	φ125	128	3.2	25	M10×30	26	118	W ³ / ₈
0048	φ140	140	3.2	25	M10×30	26	124	W ³ / ₈
0052	φ150	153	3.2	25	M10×30	26	130	W ³ / ₈
0067	φ175	178	3.2	25	M10×30	26	143	W ³ / ₈
0071	φ200	203	3.2	25	M10×30	26	155	W ³ / ₈
0086	φ225	228	3.2	25	M10×30	26	168	W ³ / ₈
0103	φ250	253	3.2	25	M10×30	26	180	W ³ / ₈
0118	φ275	278	3.2	25	M10×30	26	193	W ³ / ₈
0122	φ300	303	3.2	25	M10×30	26	205	W ³ / ₈
0137	φ325	328	3.2	25	M10×30	26	218	W ³ / ₈
0141	φ350	353	3.2	25	M10×30	26	230	W ³ / ₈
0156	φ375	378	3.2	25	M10×30	26	243	W ³ / ₈
0175	φ400	403	3.2	25	M10×30	26	255	W ³ / ₈
0180	φ425	428	3.2	25	M10×30	26	268	W ³ / ₈
0194	φ450	453	3.2	32	M10×30	26	287	W ³ / ₈
0207	φ475	478	3.2	32	M10×30	26	300	W ³ / ₈
0211	φ500	503	3.2	32	M10×30	26	313	W ³ / ₈

Suspended Pipe Fittings

1

Suspended Pipe Fittings

A10224 Assembled hanging band without turnbuckle for SP pipe


Assembled hanging band for spiral duct

Part number A10224

Assembled hanging band without turnbuckle for SP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0011	φ 75	80	1.6	25	M 8×25	26	8
0026	φ100	103	1.6	25	M 8×25	26	8
0045	φ125	128	1.6	25	M 8×25	26	8
0050	φ150	153	1.6	25	M 8×25	26	8
0064	φ175	178	1.6	25	M 8×25	26	8
0079	φ200	203	1.6	25	M 8×25	26	8
0083	φ225	228	1.6	25	M 8×25	26	8
0098	φ250	253	1.6	25	M 8×25	26	8
0115	φ275	278	1.6	25	M 8×25	26	8
0120	φ300	303	1.6	25	M 8×25	26	8
0149	φ325	328	1.6	32	M 8×30	26	8
0134	φ350	353	2.0	32	M 8×30	26	8
0153	φ375	378	2.0	32	M 8×30	26	8
0168	φ400	403	2.0	32	M10×30	26	8
0172	φ425	428	2.0	32	M10×30	26	8
0187	φ450	453	2.0	32	M10×30	26	8
0191	φ475	478	2.0	32	M10×30	26	8
0204	φ500	503	2.0	32	M10×30	26	8



A10225 Assembled hanging band with turnbuckle for SP pipe


Assembled hanging band for spiral duct

Part number A10225

Assembled hanging band with turnbuckle for SP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0019	φ 75	80	1.6	25	M 8×25	26	93	W ³ / ₈
0023	φ100	103	1.6	25	M 8×25	26	105	W ³ / ₈
0038	φ125	128	1.6	25	M 8×25	26	117	W ³ / ₈
0042	φ150	153	1.6	25	M 8×25	26	130	W ³ / ₈
0057	φ175	178	1.6	25	M 8×25	26	142	W ³ / ₈
0061	φ200	203	1.6	25	M 8×25	26	155	W ³ / ₈
0076	φ225	228	1.6	25	M 8×25	26	167	W ³ / ₈
0095	φ250	253	1.6	25	M 8×25	26	180	W ³ / ₈
0108	φ275	278	1.6	25	M 8×25	26	192	W ³ / ₈
0112	φ300	303	1.6	25	M 8×25	26	205	W ³ / ₈
0269	φ325	328	2.0	32	M 8×25	26	225	W ³ / ₈
0127	φ350	353	2.0	32	M 8×25	26	237	W ³ / ₈
0273	φ375	378	2.0	32	M10×30	26	250	W ³ / ₈
0288	φ400	403	2.0	32	M10×30	26	261	W ³ / ₈
0292	φ425	428	2.0	32	M10×30	26	273	W ³ / ₈
0305	φ450	453	2.0	32	M10×30	26	286	W ³ / ₈
0310	φ475	478	2.0	32	M10×30	26	298	W ³ / ₈
0324	φ500	503	2.0	32	M10×30	26	311	W ³ / ₈



A15518 Galvanized steel hanging band without turnbuckle for SP pipe

Lantern type hanging band for spiral duct

Part number A15518

Galvanized steel hanging band without turnbuckle for SP pipe Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	F
0013	φ 75	80	0.8	25	M8×25	26	6
0028	φ100	103	0.8	25	M8×25	26	6
0032	φ125	128	0.8	25	M8×30	26	6
0047	φ150	153	0.8	25	M8×30	26	6
0051	φ175	178	0.8	25	M8×30	26	6
0066	φ200	203	0.8	25	M8×30	26	6
0090	φ195	195	0.8	25	M8×30	26	6

A15517 Galvanized steel hanging band with turnbuckle for SP pipe

Lantern type hanging band for spiral duct

Part number A15517

Galvanized steel hanging band with turnbuckle for SP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0016	φ 75	80	0.8	25	M8×25	26	92	W ³ / ₈
0035	φ100	103	0.8	25	M8×25	26	104	W ³ / ₈
0040	φ125	128	0.8	25	M8×30	26	116	W ³ / ₈
0054	φ150	153	0.8	25	M8×30	26	129	W ³ / ₈
0073	φ175	178	0.8	25	M8×30	26	141	W ³ / ₈
0088	φ200	203	0.8	25	M8×30	26	154	W ³ / ₈
	φ195	195	0.8	25	M8×30	26	152	W ³ / ₈

A10227 Stainless steel hanging band with turnbuckle for SP pipe

A10230 Stainless steel hanging band with stainless steel turnbuckle for SP pipe

Lantern type hanging band for spiral duct

Part number A10227 Stainless steel hanging band with turnbuckle for SP pipe

A10230 Stainless steel hanging band with stainless steel turnbuckle for SP pipe

Units (mm)

Size code		Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
A10227	A10230								
0013	0019	φ 75	80	0.6	25	M8×25	26	92	W ³ / ₈
0028	0023	φ100	103	0.6	25	M8×25	26	104	W ³ / ₈
0032	0038	φ125	128	0.6	25	M8×30	26	116	W ³ / ₈
0047	0042	φ150	153	0.6	25	M8×30	26	129	W ³ / ₈
0051	0057	φ175	178	0.6	25	M8×30	26	141	W ³ / ₈
0066	0061	φ200	203	0.6	25	M8×30	26	154	W ³ / ₈
0085	0076	φ225	228	0.6	25	M8×30	26	166	W ³ / ₈
0090	0095	φ250	253	0.6	25	M8×30	26	179	W ³ / ₈
0102	0108	φ275	278	0.6	25	M8×30	26	191	W ³ / ₈
0117	0112	φ300	303	0.6	25	M8×30	26	204	W ³ / ₈
0121	0127	φ325	328	0.6	25	M8×30	26	216	W ³ / ₈
0136	0131	φ350	353	0.6	25	M8×30	26	229	W ³ / ₈
0155	0146	φ375	378	0.6	25	M8×30	26	241	W ³ / ₈
0160	0165	φ400	403	0.6	25	M8×30	26	254	W ³ / ₈

A10227

A10230

Suspended Pipe Fittings

1

Suspended Pipe Fittings

A10232 Dipped stainless steel hanging band with turnbuckle for SP pipe


Lantern type hanging band for spiral duct

Part number A10232

Dipped stainless steel hanging band with turnbuckle for SP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0013	φ100	103	0.6	25	M8×25	26	104	W $\frac{3}{8}$
0028	φ125	128	0.6	25	M8×30	26	116	W $\frac{3}{8}$
0032	φ150	153	0.6	25	M8×30	26	129	W $\frac{3}{8}$



A10235 Dipped stainless steel hanging band with stainless steel turnbuckle for SP pipe


Lantern type hanging band for spiral duct

Part number A10235

Dipped stainless steel hanging band with stainless steel turnbuckle for SP pipe

Units (mm)

Size code	Size	Applicable pipe outer diameter	t	C	Tightening bolt Dia. x Length	D	H	Hanging bolt diameter
0015	φ100	103	0.6	25	M8×25	26	104	W $\frac{3}{8}$
0020	φ125	128	0.6	25	M8×30	26	116	W $\frac{3}{8}$
0034	φ150	153	0.6	25	M8×30	26	129	W $\frac{3}{8}$



A10170 Lead pipe band


Confirm delivery

Support fitting for vertical risers in lead pipes


Part number A10170 Lead pipe band

Units (mm)

Size code	Diameter size (A)	Band inner diameter
0019	40A	φ 46
0023	50A	φ 56
0038	65A	φ 71
0042	75A	φ 81
0057	100A	φ 106



*Turnbuckles sold separately.
(Turnbuckle sets also available.)



A10171 Lead pipe band with rubber

Confirm delivery


Support fitting for vertical risers in lead pipes / With 3 mm rubber

Part number A10171


Lead pipe band with rubber

Units (mm)

Size code	Diameter size (A)	Band inner diameter
0016	40A	φ 46
0035	50A	φ 56
0040	65A	φ 71
0054	75A	φ 81
0069	100A	φ 106



*Turnbuckles sold separately.
(Turnbuckle sets also available.)



A10183 Corre Good


Confirm delivery

Hanging bracket for refrigerant pipes

Part number A10183 Corre Good

Unit (mm)

Size code	Model number	Application	Applicable size	A1	A2	Hanging bolt diameter
0017	SS	Insulated refrigerant pipe pair	12.7 × 6.35	25	32	W $\frac{3}{8}$
0021	S	Insulated refrigerant pipe pair	15.88 × 9.52 19.05 × 9.52	28	38	W $\frac{3}{8}$
0036	M	Insulated refrigerant pipe pair	19.05 × 12.7 22.22 × 12.7	35	40	W $\frac{3}{8}$
0055	L ₁	Insulated refrigerant pipe pair	22.22 × 15.88 25.4 × 12.7 25.4 × 15.88	36	45	W $\frac{3}{8}$
0060	L ₂	Insulated refrigerant pipe pair	(25.4 × 15.88) 28.58 × 12.7 28.58 × 15.88	38	50	W $\frac{3}{8}$



Suspended Pipe Fittings


A10312 Turnbuckle

Fitting to connect the hanging band to the hanging bolt

Part number A10312 Turnbuckle

Unit (mm)

Size code	Model number	t	C	H	L	G
0016	W $\frac{3}{8}$	1.6	25	36	48	11
0035	W $\frac{1}{2}$	2.3	32	49	64	14
0040	W $\frac{5}{8}$	3.2	50	67	88	19




A10313 Lock

Fitting to connect the hanging band to the hanging bolt

Part number A10313 Lock

Unit (mm)

Size code	Model number	t	C	H	L	G
0013	W $\frac{3}{8}$	2.0	25	43	55	11
0028	W $\frac{3}{8}$ × 32	2.0	32	43	55	11
0032	W $\frac{1}{2}$	2.6	32	47	62	13
0047	W $\frac{1}{2}$ × 25	2.6	32-25	47	62	13
0051	W $\frac{1}{2}$ × 38	2.6	38	47	62	13
0066	W $\frac{1}{2}$ × 50	2.6	50	56	75	19
0085	M10	2.0	25	43	55	10
0090	M12	2.6	32	47	62	13




A10316 Stainless steel turnbuckle

Fitting to connect the hanging band to the hanging bolt

Part number A10316 Stainless steel turnbuckle

Unit (mm)

Size code	Model number	t	C	H	L	G
0015	W $\frac{3}{8}$	1.5	25	36	48	11
0020	W $\frac{3}{8}$ × 32	2.0	32	43	55	10
0049	W $\frac{1}{2}$ × 25	2.5	32-25	47	62	13
0034	W $\frac{1}{2}$	2.5	32	47	62	13
0053	W $\frac{1}{2}$ × 38	2.5	38	47	62	13
0072	W $\frac{1}{2}$ × 50	2.5	50	56	75	19
0068	W $\frac{5}{8}$	3.0	50	67	88	19
0091	M10	1.5	25	36	48	11
0104	M12	2.5	32	47	62	13



A10317 Dip-plated turnbuckle


Made to order

Fitting to connect the hanging band to the hanging bolt

Part number A10317 Dip-plated turnbuckle

Unit (mm)

Size code	Model number	t	C	H	L	G
0012	W $\frac{3}{8}$	1.6	25	36	48	11
0031	W $\frac{1}{2}$	2.3	32	49	62	13
0070	W $\frac{5}{8}$	3.2	50	67	88	19



A10318 3-strand turnbuckle


Turnbuckle that absorbs pipe expansions and contractions

Part number A10318

3-strand turnbuckle

Units (mm)

Size code	Size	Link dimensions $\phi \times X \times Y$	L
0010	W $\frac{3}{8}$	$\phi 7.3 \times 54 \times 26$	206
0024	W $\frac{1}{2}$	$\phi 9.0 \times 57 \times 34$	210
0039	W $\frac{5}{8}$	$\phi 12.5 \times 73 \times 42$	265
0043	W $\frac{3}{8} \times 32$	$\phi 7.3 \times 54 \times 26$	206
0058	W $\frac{1}{2} \times 38$	$\phi 9.0 \times 57 \times 34$	210



A10320 Stainless steel 3-strand turnbuckle


Turnbuckle that absorbs pipe expansions and contractions

Part number A10320

Stainless steel 3-strand turnbuckle

Units (mm)

Size code	Size	Link dimensions $\phi \times X \times Y$	L
0018	W $\frac{3}{8}$	$\phi 8.0 \times 54 \times 28$	191
0022	W $\frac{1}{2}$	$\phi 9.0 \times 57 \times 31$	207
0041	W $\frac{3}{8} \times 32$	$\phi 8.0 \times 54 \times 28$	198
0056	W $\frac{1}{2} \times 38$	$\phi 9.0 \times 57 \times 31$	207



A10321 Fixed turnbuckle internal thread


Round tube type, internal thread

Part number A10321

Fixed turnbuckle internal thread

Units (mm)

Size code	Size
0015	W $\frac{3}{8}$



A10322 Fixed turnbuckle external thread


Round tube type, external thread

Part number A10322

Fixed turnbuckle external thread

Units (mm)

Size code	Size
0012	W $\frac{3}{8}$




Suspended Pipe Fittings

1

Suspended Pipe Fittings

A10245 Type B suspension band

Universal support fitting for lightweight objects, such as spiral duct




Part number A10245 Type B suspension band

Units (mm)

Size code		G	P ₁	K	P ₂	C	D	t	Length (m)	Applicable bolts (Size examples)
0098	No.10	φ4.0	10	-	-	10	7.0	0.6	20	M 3 × 20
0134	No.30 Nail hole type 0.5 t	φ10 × 12	25	φ3.5	25	25	15.0	0.5	30	M10 × 25
0149	No.30 Nail hole type 0.6 t	φ10 × 12	25	φ3.5	25	25	15.0	0.6	30	M10 × 25
0153	No.30 Nail hole type 0.8 t	φ10 × 12	25	φ3.5	25	25	15.0	0.8	30	M10 × 25
0168	No.30 Straight type 0.6 t	φ10 × 14	30	φ4.0	30	24	-	0.6	30	M10 × 25
0172	No.30 Straight type 0.8 t	φ10 × 14	30	φ4.0	30	24	-	0.8	30	M10 × 25

A10246 Stainless steel Type B suspension band

Universal support fitting for lightweight objects, such as spiral duct



Part number A10246 Stainless steel Type B suspension band

Units (mm)

Size code	Model number	G	P	C	D	t	Length (m)
0042	No.25	φ10.5	30	23	14.5	0.6	25


Parts for suspension band series

A10250 Bolt type support ring

Compatible with inserts and anchors



Size code	Dimension
0011	W 3/8




A10251 Woodscrew type support ring

Compatible with anchor plugs for woodscrews



Size code
0019




A10252 L-bracket support ring Made to order

For bolt fixing



Size code
0016




A10253 Nail plate support ring Made to order

For nail fixing



Size code
0013




A10256 AIM

Clamped fitting to suspend a hanging bolt from steel section / Handles gradients

Part number A10256 AIM

Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0015	AIM 30	1 to 25	W $\frac{3}{8}$
0020	AIM 40	1 to 25	W $\frac{1}{2}$




A10257 AIM body

Clamped fitting to suspend a hanging bolt from steel section / Fixed type

Part number A10257 AIM body

Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0012	AIM body	1 to 25	W $\frac{3}{8}$




A10257 AIM body N

Clamped fitting to suspend a hanging bolt from steel section / Slidable type

Part number A10257 AIM body N

Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0027	AIM N body	1 to 22	W $\frac{3}{8}$




A10258 AIM S

Clamped fitting to suspend a hanging bolt from steel section / For lightweight objects / Fixed type

Part number A10258 AIM S

Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0010	AIM S	1 to 15	W $\frac{3}{8}$




A10259 AIM F

Clamped fitting to suspend a hanging bolt from steel section / Handles compound gradients

Part number A10259 AIM F

Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0017	AIM F30	1 to 25	W $\frac{3}{8}$
0021	AIM F40	1 to 25	W $\frac{1}{2}$



Suspended Pipe Fittings

1


Suspended Pipe Fittings

A10261 Stainless steel AIM body

Clamped fitting to suspend a hanging bolt from steel section / Fixed type

Part number A10261 Stainless steel AIM body Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0015	Stainless steel AIM body	1 to 25	W $\frac{3}{8}$




A10262 Stainless steel AIM S

Clamped fitting to suspend a hanging bolt from steel section / For lightweight objects / Fixed type

Part number A10262 Stainless steel AIM S Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0012	Stainless steel AIM S	1 to 15	W $\frac{3}{8}$




A10260 Stainless steel AIM

Clamped fitting to suspend a hanging bolt from steel section / Handles gradients

Part number A10260 Stainless steel AIM Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0018	Stainless steel AIM 30	1 to 25	W $\frac{3}{8}$
0022	Stainless steel AIM 40	1 to 25	W $\frac{1}{2}$




A10263 Stainless steel AIM F

Clamped fitting to suspend a hanging bolt from steel section / Handles compound gradients

Part number A10263 Stainless steel AIM F Units (mm)

Size code	Part name	Applicable flange thickness	Hanging bolt diameter
0010	Stainless steel AIM F30	1 to 25	W $\frac{3}{8}$
0024	Stainless steel AIM F40	1 to 25	W $\frac{1}{2}$





A25711	AIM reinforcing fitting J
A25712	Dip-plated AIM reinforcing fitting J
A25713	Stainless steel AIM reinforcing fitting J

Fitting to prevent AIM falling off

Part number A25711 AIM reinforcing fitting J Units (mm)


Size code	Part name	H steel width	Applicable flange thickness	Applicable flange width
0017 0021	AIM reinforcing fitting J	100 to 200 250 to 400	7 to 21	100 to 400

Part number A25712 Dip-plated AIM reinforcing fitting J Units (mm)

Size code	Part name	H steel width	Applicable flange thickness	Applicable flange width
0014 0029	Dip-plated AIM reinforcing fitting J	100 to 200 250 to 400	7 to 21	100 to 400

Part number A25713 Stainless steel AIM reinforcing fitting J Units (mm)

Size code	Part name	H steel width	Applicable flange thickness	Applicable flange width
0011 0026	Stainless steel AIM reinforcing fitting J	100 to 200 250 to 400	7 to 21	100 to 400




A16388 AIM reinforcing fitting H

Fitting to prevent AIM falling off

Part number A16388 AIM reinforcing fitting H Units (mm)

Size code	Part name	Applicable flange thickness	Applicable flange width
0011	AIM reinforcing fitting H	7 to 12	100 to 200 (For 285 mm threaded rod)




A10271 C hook

Fitting to suspend a hanging bolt from lip channel steel

Part number A10271 C hook Units (mm)

Size code	Part name	Applicable lip channel steel	Hanging bolt diameter
0011	C hook	Up to 100 × 50 × 20	W $\frac{3}{8}$



A10270 Channel hanging bracket

Fitting to suspend a hanging bolt from lip channel steel

Part number A10270 Channel hanging bracket Units (mm)

Size code	Part name	Applicable lip channel steel	Hanging bolt diameter
0014	Channel hanging bracket	Up to 75 × 45 × 15	W $\frac{3}{8}$

Suspended Pipe Fittings

1



Suspended Pipe Fittings

A10279 Eccentric suspension fitting

Eccentric fitting to suspend a hanging bolt from a ceiling insert

Part number A10279 Eccentric suspension fitting Units (mm)

Size code	Size	Permitted static load (kgf)		
		ℓ= 30	ℓ= 75	ℓ= 120
0010	W $\frac{3}{8}$ × 100L	100	10	-
0024	W $\frac{3}{8}$ × 150L	100	30	5




A10290 Bracket for timber

Fitting to suspend a hanging bolt from timber

Part number A10290 Bracket for timber Units (mm)

Size code	Size
0017	W $\frac{3}{8}$




A10291 Battledore bolt

Hanging bolt to secure to timber

Part number A10291 Battledore bolt Units (mm)

Size code	Size	Small carton
0014	W $\frac{3}{8}$	100




A10292 Hanging bolt for timber

Hanging bolt to secure to timber

Part number A10292
Hanging bolt for timber Units (mm)

Size code	Size
0011	W $\frac{3}{8}$




A10293 Screw-in T bracket A10295 Stainless steel screw-in T bracket


Fitting to connect a hanging bolt

Part number A10293 Screw-in T bracket
Part number A10295

Stainless steel screw-in T bracket Units (mm)

Size code	Size
0019	W $\frac{3}{8}$
0013	W $\frac{3}{8}$





A10297 Mini anti-vibration suspension fitting A type


Anti-vibration suspension fitting for pipes and equipment /
For lightweight objects

Part number A10297

Mini anti-vibration suspension fitting A type

Units (mm)

Size code	Model	Static load constant (kgf/cm)	Deflection (mm)	Rubber hardness	Load range (kgf)
0018	AD-314	71	0.4 to 2.8	40°	3.0 to 20.0
0022	AD-315	117	0.5 to 2.7	50°	6.0 to 32.0
0037	AD-316	173	0.5 to 2.7	60°	9.0 to 47.0



A10298 Mini anti-vibration suspension fitting B type

Anti-vibration suspension fitting for pipes and equipment /
For lightweight objects

Part number A10298

Mini anti-vibration suspension fitting B type

Units (mm)

Size code	Model	Static load constant (kgf/cm)	Deflection (mm)	Rubber hardness	Load range (kgf)
0015	AD-314B	71	0.4 to 2.8	40°	3.0 to 20.0
0020	AD-315B	117	0.5 to 2.7	50°	6.0 to 32.0
0034	AD-316B	173	0.5 to 2.7	60°	9.0 to 47.0



A10300 Anti-vibration suspension fitting I type


Anti-vibration suspension fitting for pipes and equipment

Part number A10300

Anti-vibration suspension fitting I type

Units (mm)

Size code	Model	Static load constant (kgf/cm)	Deflection (mm)	Rubber hardness	Hanging bolt diameter	Load range (kgf)
0015	AD-340	60	0.7 to 2.8	40°	W 3/8	4.3 to 17.2
0020	AD-350	93	0.9 to 3.4	50°	W 3/8	8.0 to 32.0
0034	AD-360	128	0.9 to 3.6	60°	W 3/8	11.5 to 46.0
0049	AD-450	143	0.9 to 3.5	50°	W 1/2	12.6 to 50.4
0053	AD-460	247	1.8 to 4.1	60°	W 1/2	44.8 to 101.2



A10302 Anti-vibration suspension fitting frame only (I type)

AD series anti-vibration suspension fitting frame only

Part number A10302

Anti-vibration suspension fitting frame only (I type)

Units (mm)

Size code	Model	A	C	L	H	t
0024	AD-340	47	32	120	70	2.3
0039	AD-350	47	40	120	70	2.3
0043	AD-360	47	40	120	70	2.3
0058	AD-450	61	45	130	80	3.0
0062	AD-460	61	45	130	80	3.0

Suspended Pipe Fittings

1


Suspended Pipe Fittings

A10299 Anti-vibration suspension fitting A type

Anti-vibration suspension fitting for pipes and equipment / For heavy objects

Part number A10299 Anti-vibration suspension fitting A type Units (mm)

Size code	Model	Static load constant (kgf/cm)	Deflection (mm)	Rubber hardness	Load range (kgf)	Hanging bolt diameter
0012	AD-550	506	1.4 to 4.3	50°	71 to 220	W $\frac{5}{8}$
0027	AD-560	861	1.5 to 4.2	60°	100.7 to 350.5	W $\frac{5}{8}$
0031	AD-660	1336	2.0 to 4.3	60°	170.0 to 452.0	W $\frac{3}{4}$



*Product must be installed with double nuts.

A10302 Anti-vibration suspension fitting frame only (A type)

AD series anti-vibration suspension fitting frame only

Part number A10302

Anti-vibration suspension fitting frame only (A type) Units (mm)

Size code	Model	A	C	H	t
0077	AD-550	82	65	108	3.0
0081	AD-560	102	80	130	3.2
0096	AD-660	118	100	150	3.2


A10301 Anti-vibration suspension fitting W type

Anti-vibration suspension fitting for pipes and equipment / Handles a wide range of working loads

Part number A10301

Anti-vibration suspension fitting W type Units (mm)

Size code	Model	Static load constant (kgf/cm)	Deflection (mm)	Rubber hardness	Hanging bolt diameter	Load range (kgf)
0012	AD-340W	30.0	0.7 to 5.7	40°	W $\frac{3}{8}$	2.2 to 17.2
0027	AD-350W	46.0	0.9 to 6.8	50°	W $\frac{3}{8}$	4.0 to 32.0
0031	AD-360W	64.0	0.9 to 7.1	60°	W $\frac{3}{8}$	5.8 to 46.0
0046	AD-450W	71.5	0.9 to 7.0	50°	W $\frac{1}{2}$	6.3 to 50.4
0065	AD-460W	123.5	1.8 to 8.1	60°	W $\frac{1}{2}$	22.4 to 101.2
0070	AD-550W	253.0	1.4 to 8.6	60°	W $\frac{5}{8}$	35.5 to 220
0084	AD-560W	430.5	1.5 to 8.4	60°	W $\frac{5}{8}$	50.0 to 350.5
0099	AD-660W	668.0	2.0 to 8.6	60°	W $\frac{3}{4}$	85.0 to 452.0



A10302 Anti-vibration suspension fitting frame only (W type)

AD series anti-vibration suspension fitting frame only

Part number A10302

Anti-vibration suspension fitting frame only (W type) Units (mm)

Size code	Model	A	C	H	t
0109	AD-3W	47	40	85	2.3
0113	AD-4W	61	45	100	3.0
0128	AD-550W	82	65	142	3.0
0132	AD-560W	102	80	170	3.2
0147	AD-660W	118	100	180	3.2



A10303 Anti-vibration rubber

Anti-vibration rubber for AD series anti-vibration suspension fittings

Part number A10303 Anti-vibration rubber

Units (mm)

Size code	Rubber model	C	H	G	E	F	Rubber hardness
0017	D-314	30	10	10	14	3	40°
0021	D-315	30	10	10	14	3	50°
0036	D-316	30	10	10	14	3	60°
0055	D-340	35	22	10	18	5	40°
0060	D-350	35	22	10	18	5	50°
0074	D-360	35	22	10	18	5	60°
0089	D-450	45	26	14	22	7	50°
0093	D-460	45	26	14	22	7	60°
0106	D-550	60	30	18	22	5	50°
0125	D-560	80	40	18	25	10	60°
0130	D-660	100	45	21	28	10	60°

● The properties of A10303 anti-vibration rubber are compatible with the AD series. Refer to the AD series for details.

A10304 Cushion rubber

Anti-vibration rubber for AD series

Part number A10304 Cushion rubber

Units (mm)

Size code	Rubber model	Rubber hardness	C	H	G	Load range (kgf)	Static load constant (kgf/cm)
0014	AD-310	50°	35	10	10	15 to 40	98
0029	AD-320	60°	35	20	10	20 to 55	112
0033	AD-410	50°	45	10	14	40 to 90	134
0048	AD-420	60°	45	20	14	45 to 130	265
0052	AD-430	60°	45	30	14	45 to 110	180

A10305 U-nut

Lock nut for AD series anti-vibration suspension fittings

Part number A10305 U-nut

Units (mm)

Size code	Size	Size code	Size
0011	W $\frac{1}{4}$	0083	M 6
0026	W $\frac{5}{16}$	0098	M 8
0045	W $\frac{3}{8}$	0115	M10
0050	W $\frac{1}{2}$	0120	M12
0064	W $\frac{5}{8}$	0134	M16
0079	W $\frac{3}{4}$	0149	M20

A10306 Anti-vibration round washer

Round washer for AD series anti-vibration suspension fittings

Part number A10306 Anti-vibration round washer

Units (mm)

Size code	Size	C	G	t
0019	W $\frac{3}{8}$ × 30	30	11	2.0
0023	W $\frac{3}{8}$ × 35	35	11	2.3
0038	W $\frac{1}{2}$ × 45	45	13	2.3
0042	W $\frac{5}{8}$ × 60	60	18	3.2
0057	W $\frac{5}{8}$ × 80	80	18	3.2
0061	W $\frac{3}{4}$ × 100	100	22	3.2

Suspended Pipe Fittings


A10310 Anti-vibration pad (conventional type)



Highly versatile rubber pad for anti-vibration bands and machine anti-vibration applications

Size code	t	W	L
0011	10t	300	1,000
0026	15t	300	1,000
0045	20t	300	1,000

A10311 Anti-vibration pad (new type)



Highly versatile rubber pad for anti-vibration bands and machine anti-vibration applications

Size code	t	W	L
0023	10t	500	500 without glue
0019	10t	500	500 with glue

A10307 25m rubber for copper pipe



Rubber for bands for copper pipe and anti-vibration bands

Size code	t	W
0016	3t	25
0035	3t	32


A10308 Easy vibration isolation



Rubber for anti-vibration bands

Size code	t	W	L
0090	3.5t	25	295

A23132 Anti-sway L-fitting




Example of anti-sway L-fitting installation

Anti-sway fitting that can be retrofitted to existing hanging bolts

Part number A23132 Anti-sway L-fitting

Size code	Applicable size
0015	W $\frac{3}{8}$

A23133 Anti-sway V-fitting



Example of anti-sway V-fitting installation

Fitting that secures intersections between anti-sway threaded rods

Part number A23133 Anti-sway V-fitting

Size code	Applicable size
0012	W $\frac{3}{8}$