


## A10636 Urethane AG type

Insulated hinged hanging band for suspended cold and hot water pipe



Part number A10636 Urethane AG type

Unit (mm)

| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | t   | c  | Hanging bolt diameter | Thermal insulation thickness (T) 20 mm |     | Thermal insulation thickness (T) 25 mm |     | Thermal insulation thickness (T) 30 mm |     | Thermal insulation thickness (T) 40 mm |     | Thermal insulation thickness (T) 50 mm |     |
|-------------------|----------------------|--------------------------------|-----|----|-----------------------|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|
|                   |                      |                                |     |    |                       | Size code                              | H   | Size code                              | H   | Size code                              | H   | Size code                              | H   | Size code                              | H   |
| 15A               | 1/2                  | 21.7                           | 2.3 | 25 | W 3/8                 | 0014                                   | 90  | 0029                                   | 96  | 0033                                   | 102 |                                        |     |                                        |     |
| 20A               | 3/4                  | 27.2                           | 2.3 | 25 | W 3/8                 | 0048                                   | 95  | 0052                                   | 100 | 0067                                   | 103 | 0071                                   | 116 |                                        |     |
| 25A               | 1                    | 34.0                           | 2.3 | 25 | W 3/8                 | 0086                                   | 98  | 0103                                   | 103 | 0118                                   | 108 | 0122                                   | 118 |                                        |     |
| 32A               | 1 1/4                | 42.7                           | 2.3 | 25 | W 3/8                 | 0137                                   | 102 | 0141                                   | 111 | 0156                                   | 116 | 0175                                   | 123 |                                        |     |
| 40A               | 1 1/2                | 48.6                           | 2.3 | 25 | W 3/8                 | 0180                                   | 106 | 0194                                   | 114 | 0207                                   | 119 | 0211                                   | 129 |                                        |     |
| 50A               | 2                    | 60.5                           | 2.3 | 25 | W 3/8                 | 0226                                   | 110 | 0245                                   | 120 | 0250                                   | 125 | 0264                                   | 135 |                                        |     |
| 65A               | 2 1/2                | 76.3                           | 2.6 | 32 | W 3/8                 | 0279                                   | 118 | 0283                                   | 128 | 0298                                   | 133 | 0315                                   | 143 |                                        |     |
| 80A               | 3                    | 89.1                           | 2.6 | 32 | W 3/8                 | 0320                                   | 123 | 0334                                   | 134 | 0349                                   | 139 | 0353                                   | 149 | 0368                                   | 159 |
| 100A              | 4                    | 114.3                          | 2.6 | 32 | W 3/8                 |                                        |     | 0372                                   | 146 | 0387                                   | 151 | 0391                                   | 161 | 0404                                   | 171 |
| 125A              | 5                    | 139.8                          | 3.0 | 32 | W 1/2                 |                                        |     | 0419                                   | 172 | 0423                                   | 177 | 0438                                   | 187 | 0442                                   | 197 |
| 150A              | 6                    | 165.2                          | 4.5 | 32 | W 1/2                 |                                        |     | 0457                                   | 184 | 0461                                   | 189 | 0476                                   | 199 | 0495                                   | 209 |
| 200A              | 8                    | 216.3                          | 6.0 | 38 | W 5/8                 |                                        |     |                                        |     | 0508                                   | 237 | 0512                                   | 247 | 0527                                   | 257 |


## A10647 Urethane AG type with stainless steel band

Insulated hinged hanging band for suspended cold and hot water pipe

Part number A10647

Urethane AG type with stainless steel band

Unit (mm)




| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | t   | c  | Hanging bolt diameter | Thermal insulation thickness (T) |       |       |       |       |
|-------------------|----------------------|--------------------------------|-----|----|-----------------------|----------------------------------|-------|-------|-------|-------|
|                   |                      |                                |     |    |                       | 20 mm                            | 25 mm | 30 mm | 40 mm | 50 mm |
| 15A               | 1/2                  | 21.7                           | 2.0 | 25 | W 3/8                 | 0018                             | 0022  | 0037  |       |       |
| 20A               | 3/4                  | 27.2                           | 2.0 | 25 | W 3/8                 | 0041                             | 0056  | 0075  | 0080  |       |
| 25A               | 1                    | 34.0                           | 2.0 | 25 | W 3/8                 | 0094                             | 0107  | 0111  | 0126  |       |
| 32A               | 1 1/4                | 42.7                           | 2.0 | 25 | W 3/8                 | 0145                             | 0150  | 0164  | 0179  |       |
| 40A               | 1 1/2                | 48.6                           | 2.0 | 25 | W 3/8                 | 0183                             | 0198  | 0215  | 0220  |       |
| 50A               | 2                    | 60.5                           | 2.0 | 25 | W 3/8                 | 0234                             | 0249  | 0253  | 0268  | 0610  |
| 65A               | 2 1/2                | 76.3                           | 2.0 | 32 | W 3/8                 | 0272                             | 0287  | 0291  | 0304  | 0624  |
| 80A               | 3                    | 89.1                           | 2.0 | 32 | W 3/8                 | 0319                             | 0323  | 0338  | 0342  | 0357  |
| 100A              | 4                    | 114.3                          | 2.0 | 32 | W 3/8                 |                                  | 0361  | 0376  | 0395  | 0408  |
| 125A              | 5                    | 139.8                          | 3.0 | 32 | W 1/2                 |                                  | 0412  | 0427  | 0431  | 0446  |
| 150A              | 6                    | 165.2                          | 4.0 | 32 | W 1/2                 |                                  | 0465  | 0470  | 0484  | 0499  |
| 200A              | 8                    | 216.3                          | 6.0 | 38 | W 5/8                 |                                  |       | 0501  | 0516  | 0535  |

# Urethane

## A10637 Urethane TG type

Insulated assembled hanging band for suspended cold and hot water pipe



Part number A10637 Urethane TG type

Unit (mm)

| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | t   | c  | Hanging bolt diameter | Thermal insulation thickness (T) 20 mm |     | Thermal insulation thickness (T) 25 mm |     | Thermal insulation thickness (T) 30 mm |     | Thermal insulation thickness (T) 40 mm |     | Thermal insulation thickness (T) 50 mm |     |
|-------------------|----------------------|--------------------------------|-----|----|-----------------------|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|
|                   |                      |                                |     |    |                       | Size code                              | H   | Size code                              | H   | Size code                              | H   | Size code                              | H   | Size code                              | H   |
| 15A               | 1/2                  | 21.7                           | 1.2 | 25 | W 3/8                 | 0011                                   | 88  | 0026                                   | 93  | 0045                                   | 98  |                                        |     |                                        |     |
| 20A               | 3/4                  | 27.2                           | 1.2 | 25 | W 3/8                 | 0050                                   | 91  | 0064                                   | 96  | 0079                                   | 101 | 0083                                   | 111 |                                        |     |
| 25A               | 1                    | 34.0                           | 1.2 | 25 | W 3/8                 | 0098                                   | 94  | 0115                                   | 99  | 0120                                   | 104 | 0134                                   | 114 |                                        |     |
| 32A               | 1 1/4                | 42.7                           | 1.2 | 25 | W 3/8                 | 0149                                   | 98  | 0153                                   | 103 | 0168                                   | 108 | 0172                                   | 118 |                                        |     |
| 40A               | 1 1/2                | 48.6                           | 1.2 | 25 | W 3/8                 | 0187                                   | 101 | 0191                                   | 106 | 0204                                   | 111 | 0219                                   | 121 |                                        |     |
| 50A               | 2                    | 60.5                           | 1.6 | 25 | W 3/8                 | 0223                                   | 107 | 0238                                   | 112 | 0242                                   | 117 | 0257                                   | 127 |                                        |     |
| 65A               | 2 1/2                | 76.3                           | 1.8 | 32 | W 3/8                 | 0261                                   | 118 | 0276                                   | 123 | 0295                                   | 128 | 0308                                   | 138 |                                        |     |
| 80A               | 3                    | 89.1                           | 1.8 | 32 | W 3/8                 | 0312                                   | 123 | 0327                                   | 130 | 0331                                   | 135 | 0346                                   | 145 | 0365                                   | 155 |
| 100A              | 4                    | 114.3                          | 1.8 | 32 | W 3/8                 |                                        |     | 0370                                   | 140 | 0384                                   | 145 | 0399                                   | 155 | 0401                                   | 165 |
| 125A              | 5                    | 139.8                          | 3.2 | 38 | W 1/2                 |                                        |     | 0416                                   | 165 | 0435                                   | 170 | 0440                                   | 180 | 0454                                   | 190 |
| 150A              | 6                    | 165.2                          | 3.2 | 38 | W 1/2                 |                                        |     | 0469                                   | 179 | 0473                                   | 184 | 0488                                   | 194 | 0492                                   | 204 |
| 200A              | 8                    | 216.3                          | 4.5 | 50 | W 5/8                 |                                        |     |                                        |     | 0505                                   | 227 | 0510                                   | 237 | 0524                                   | 247 |
| 250A              | 10                   | 267.4                          | 4.5 | 50 | W 5/8                 |                                        |     |                                        |     | 0539                                   | 260 | 0543                                   | 270 | 0558                                   | 280 |
| 300A              | 12                   | 318.5                          | 6.0 | 50 | W 5/8                 |                                        |     |                                        |     |                                        |     | 0562                                   | 300 | 0577                                   | 310 |
| 350A              | 14                   | 355.6                          | 6.0 | 50 | W 5/8                 |                                        |     |                                        |     |                                        |     | 0581                                   | 326 | 0596                                   | 336 |


## A14087 Urethane TG type with stainless steel band

Insulated assembled hanging band for suspended cold and hot water pipe

Part number

A14087 Urethane TG type with stainless steel band

Unit (mm)




| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | t   | c  | Hanging bolt diameter | Thermal insulation thickness (T) |       |       |       |       |
|-------------------|----------------------|--------------------------------|-----|----|-----------------------|----------------------------------|-------|-------|-------|-------|
|                   |                      |                                |     |    |                       | 20 mm                            | 25 mm | 30 mm | 40 mm | 50 mm |
| 15A               | 1/2                  | 21.7                           | 1.5 | 25 | W 3/8                 | 0019                             | 0023  | 0038  |       |       |
| 20A               | 3/4                  | 27.2                           | 1.5 | 25 | W 3/8                 | 0042                             | 0057  | 0061  | 0076  |       |
| 25A               | 1                    | 34.0                           | 1.5 | 25 | W 3/8                 | 0095                             | 0108  | 0112  | 0127  |       |
| 32A               | 1 1/4                | 42.7                           | 1.5 | 25 | W 3/8                 | 0131                             | 0146  | 0165  | 0170  |       |
| 40A               | 1 1/2                | 48.6                           | 1.5 | 25 | W 3/8                 | 0184                             | 0199  | 0201  | 0216  |       |
| 50A               | 2                    | 60.5                           | 1.5 | 25 | W 3/8                 | 0235                             | 0240  | 0254  | 0269  |       |
| 65A               | 2 1/2                | 76.3                           | 1.5 | 32 | W 3/8                 | 0273                             | 0288  | 0292  | 0305  |       |
| 80A               | 3                    | 89.1                           | 1.5 | 32 | W 3/8                 | 0310                             | 0324  | 0339  | 0343  |       |
| 100A              | 4                    | 114.3                          | 1.5 | 32 | W 3/8                 |                                  | 0358  | 0362  | 0377  | 0381  |
| 125A              | 5                    | 139.8                          | 3.0 | 32 | W 1/2                 |                                  | 0396  | 0409  | 0413  | 0428  |
| 150A              | 6                    | 165.2                          | 3.0 | 32 | W 1/2                 |                                  | 0432  | 0447  | 0451  | 0466  |
| 200A              | 8                    | 216.3                          | 4.0 | 50 | W 5/8                 |                                  |       | 0485  | 0490  | 0502  |
| 250A              | 10                   | 267.4                          | 4.0 | 50 | W 5/8                 |                                  |       | 0517  | 0521  | 0536  |
| 300A              | 12                   | 318.5                          | 4.0 | 50 | W 5/8                 |                                  |       |       | 0555  | 0560  |
| 350A              | 14                   | 355.6                          | 4.0 | 50 | W 5/8                 |                                  |       |       |       |       |



## A10638 Urethane MS type

Insulated U-band for floor-mounted cold and hot water pipe



Part number A10638 Urethane MS type

Unit (mm)

| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | Metal material |    | Thread diameter | Thermal insulation thickness (T) 20 mm |     | Thermal insulation thickness (T) 25 mm |     | Thermal insulation thickness (T) 30 mm |     | Thermal insulation thickness (T) 40 mm |     | Thermal insulation thickness (T) 50 mm |     |
|-------------------|----------------------|--------------------------------|----------------|----|-----------------|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|
|                   |                      |                                | t              | c  |                 | Size code                              | P   | Size code                              | P   | Size code                              | P   | Size code                              | P   | Size code                              | P   |
| 15A               | 1/2                  | 21.7                           | 1.8            | 25 | M10             | 0019                                   | 69  | 0023                                   | 79  | 0038                                   | 89  |                                        |     |                                        |     |
| 20A               | 3/4                  | 27.2                           | 1.8            | 25 | M10             | 0042                                   | 75  | 0057                                   | 85  | 0061                                   | 95  | 0076                                   | 115 |                                        |     |
| 25A               | 1                    | 34.0                           | 1.8            | 25 | M10             | 0095                                   | 81  | 0108                                   | 91  | 0112                                   | 101 | 0127                                   | 121 |                                        |     |
| 32A               | 1 1/4                | 42.7                           | 1.8            | 25 | M10             | 0131                                   | 90  | 0146                                   | 100 | 0165                                   | 110 | 0170                                   | 130 |                                        |     |
| 40A               | 1 1/2                | 48.6                           | 1.8            | 25 | M10             | 0184                                   | 96  | 0199                                   | 106 | 0201                                   | 116 | 0216                                   | 136 |                                        |     |
| 50A               | 2                    | 60.5                           | 1.8            | 25 | M10             | 0235                                   | 108 | 0240                                   | 118 | 0254                                   | 128 | 0269                                   | 148 |                                        |     |
| 65A               | 2 1/2                | 76.3                           | 1.8            | 32 | M10             | 0273                                   | 123 | 0288                                   | 133 | 0292                                   | 143 | 0305                                   | 163 |                                        |     |
| 80A               | 3                    | 89.1                           | 1.8            | 32 | M10             | 0310                                   | 135 | 0324                                   | 145 | 0339                                   | 155 | 0343                                   | 175 | 0358                                   | 195 |
| 100A              | 4                    | 114.3                          | 1.8            | 32 | M10             |                                        |     | 0362                                   | 171 | 0377                                   | 181 | 0381                                   | 201 | 0396                                   | 221 |
| 125A              | 5                    | 139.8                          | 4.5            | 32 | W 1/2           |                                        |     | 0409                                   | 212 | 0413                                   | 222 | 0428                                   | 242 | 0432                                   | 262 |
| 150A              | 6                    | 165.2                          | 4.5            | 32 | W 1/2           |                                        |     | 0447                                   | 238 | 0451                                   | 248 | 0466                                   | 268 | 0485                                   | 288 |
| 200A              | 8                    | 216.3                          | 4.5            | 38 | W 5/8           |                                        |     |                                        |     | 0490                                   | 302 | 0502                                   | 322 | 0517                                   | 342 |
| 250A              | 10                   | 267.4                          | 6.0            | 38 | W 5/8           |                                        |     |                                        |     | 0521                                   | 357 | 0536                                   | 377 | 0555                                   | 397 |
| 300A              | 12                   | 318.5                          | 6.0            | 50 | W 5/8           |                                        |     |                                        |     |                                        |     | 0574                                   | 428 | 0589                                   | 448 |
| 350A              | 14                   | 355.6                          | 6.0            | 50 | W 5/8           |                                        |     |                                        |     |                                        |     | 0606                                   | 465 | 0625                                   | 485 |


## A10648 Urethane MS type with stainless steel band

Insulated U-band for floor-mounted cold and hot water pipe

Part number

A10648 Urethane MS type with stainless steel band

Unit (mm)




| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | t   | c  | Thread diameter | Thermal insulation thickness (T) |       |       |       |       |
|-------------------|----------------------|--------------------------------|-----|----|-----------------|----------------------------------|-------|-------|-------|-------|
|                   |                      |                                |     |    |                 | 20 mm                            | 25 mm | 30 mm | 40 mm | 50 mm |
| 15A               | 1/2                  | 21.7                           | 1.5 | 25 | W 3/8           | 0015                             | 0020  | 0034  |       |       |
| 20A               | 3/4                  | 27.2                           | 1.5 | 25 | W 3/8           | 0049                             | 0053  | 0068  | 0072  |       |
| 25A               | 1                    | 34.0                           | 1.5 | 25 | W 3/8           | 0087                             | 0091  | 0104  | 0119  |       |
| 32A               | 1 1/4                | 42.7                           | 1.5 | 25 | W 3/8           | 0123                             | 0138  | 0142  | 0157  |       |
| 40A               | 1 1/2                | 48.6                           | 1.5 | 25 | W 3/8           | 0161                             | 0176  | 0195  | 0208  |       |
| 50A               | 2                    | 60.5                           | 1.5 | 25 | W 3/8           | 0212                             | 0227  | 0231  | 0246  | 0617  |
| 65A               | 2 1/2                | 76.3                           | 1.5 | 32 | W 3/8           | 0265                             | 0270  | 0284  | 0299  | 0621  |
| 80A               | 3                    | 89.1                           | 1.5 | 32 | W 3/8           | 0301                             | 0316  | 0335  | 0340  | 0354  |
| 100A              | 4                    | 114.3                          | 1.5 | 32 | W 3/8           |                                  | 0369  | 0373  | 0388  | 0392  |
| 125A              | 5                    | 139.8                          | 3.0 | 32 | W 1/2           |                                  | 0405  | 0410  | 0424  | 0439  |
| 150A              | 6                    | 165.2                          | 3.0 | 32 | W 1/2           |                                  | 0443  | 0458  | 0462  | 0477  |
| *200A             | 8                    | 216.3                          | 3.0 | 38 | W 5/8           |                                  |       | 0481  | 0496  | 0509  |
| *250A             | 10                   | 267.4                          | 3.0 | 38 | W 5/8           |                                  |       | 0513  | 0528  | 0532  |
| *300A             | 12                   | 318.5                          | 4.0 | 50 | W 5/8           |                                  |       |       | 0551  | 0566  |
| *350A             | 14                   | 355.6                          | 4.0 | 50 | W 5/8           |                                  |       |       | 0590  | 0602  |

\*Made to order for 200A to 350A.

# Urethane

## A10640 Urethane UP type

U-bolt with urethane for pipe level adjustment



Part number A10640 Urethane UP type

Unit (mm)

| Part number A70010 Standard U-bolt type |                      |                                |                 |                                        |     |                                        |     |                                        |     |                                        |     |                                        |     | Unit (mm) |  |
|-----------------------------------------|----------------------|--------------------------------|-----------------|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|----------------------------------------|-----|-----------|--|
| Diameter size (A)                       | Nominal diameter (B) | Applicable pipe outer diameter | Thread diameter | U-bolt + 30                            |     |                                        |     |                                        |     | U-bolt + 50                            |     |                                        |     |           |  |
|                                         |                      |                                |                 | Thermal insulation thickness (T) 20 mm |     | Thermal insulation thickness (T) 25 mm |     | Thermal insulation thickness (T) 30 mm |     | Thermal insulation thickness (T) 40 mm |     | Thermal insulation thickness (T) 50 mm |     |           |  |
|                                         |                      |                                |                 | Size code                              | P   | Size code                              | P   | Size code                              | P   | Size code                              | P   | Size code                              | P   |           |  |
| 15A                                     | 1/2                  | 21.7                           | W 3/8           | 0017                                   | 32  | 0021                                   | 32  | 0036                                   | 32  | 0055                                   | 32  |                                        |     |           |  |
| 20A                                     | 3/4                  | 27.2                           | W 3/8           | 0060                                   | 40  | 0074                                   | 40  | 0089                                   | 40  | 0093                                   | 40  |                                        |     |           |  |
| 25A                                     | 1                    | 34.0                           | W 3/8           | 0106                                   | 46  | 0125                                   | 46  | 0130                                   | 46  | 0144                                   | 46  |                                        |     |           |  |
| 32A                                     | 1 1/4                | 42.7                           | W 3/8           | 0159                                   | 53  | 0163                                   | 53  | 0178                                   | 53  | 0182                                   | 53  |                                        |     |           |  |
| 40A                                     | 1 1/2                | 48.6                           | W 3/8           | 0197                                   | 60  | 0200                                   | 60  | 0214                                   | 60  | 0229                                   | 60  |                                        |     |           |  |
| 50A                                     | 2                    | 60.5                           | W 3/8           | 0233                                   | 72  | 0248                                   | 72  | 0252                                   | 72  | 0267                                   | 72  |                                        |     |           |  |
| 65A                                     | 2 1/2                | 76.3                           | W 3/8           | 0271                                   | 87  | 0286                                   | 87  | 0303                                   | 87  | 0318                                   | 87  |                                        |     |           |  |
| 80A                                     | 3                    | 89.1                           | W 3/8           | 0322                                   | 100 | 0337                                   | 100 | 0341                                   | 100 | 0356                                   | 100 | 0375                                   | 100 |           |  |
| 100A                                    | 4                    | 114.3                          | W 3/8           |                                        |     | 0380                                   | 125 | 0394                                   | 125 | 0407                                   | 125 | 0411                                   | 125 |           |  |
| 125A                                    | 5                    | 139.8                          | W 1/2           |                                        |     | 0426                                   | 153 | 0445                                   | 153 | 0450                                   | 153 | 0464                                   | 153 |           |  |
| 150A                                    | 6                    | 165.2                          | W 1/2           |                                        |     | 0479                                   | 180 | 0483                                   | 180 | 0498                                   | 180 | 0515                                   | 180 |           |  |
| 200A                                    | 8                    | 216.3                          | W 1/2           |                                        |     |                                        |     | 0520                                   | 232 | 0534                                   | 232 | 0549                                   | 232 |           |  |
| 250A                                    | 10                   | 267.4                          | W 5/8           |                                        |     |                                        |     | 0553                                   | 288 | 0568                                   | 288 | 0572                                   | 288 |           |  |
| 300A                                    | 12                   | 318.5                          | W 5/8           |                                        |     |                                        |     |                                        |     | 0587                                   | 339 | 0591                                   | 339 |           |  |
| 350A                                    | 14                   | 355.6                          | W 5/8           |                                        |     |                                        |     |                                        |     | 0604                                   | 376 | 0619                                   | 376 |           |  |


## A10649 Urethane UP type with stainless steel U-bolt

U-bolt with urethane for pipe level adjustment

Part number A10649

Urethane UP type with stainless steel U-bolt


Unit (mm)



| Diameter size (A) | Nominal diameter (B) | Applicable pipe outer diameter | Thread diameter | Thermal insulation thickness (T) |       |       |       |       |
|-------------------|----------------------|--------------------------------|-----------------|----------------------------------|-------|-------|-------|-------|
|                   |                      |                                |                 | 20 mm                            | 25 mm | 30 mm | 40 mm | 50 mm |
| 15A               | 1/2                  | 21.7                           | W 3/8           | 0012                             | 0027  | 0031  | 0046  |       |
| 20A               | 3/4                  | 27.2                           | W 3/8           | 0065                             | 0070  | 0084  | 0099  | 0629  |
| 25A               | 1                    | 34.0                           | W 3/8           | 0101                             | 0116  | 0135  | 0140  | 0633  |
| 32A               | 1 1/4                | 42.7                           | W 3/8           | 0154                             | 0169  | 0173  | 0188  | 0648  |
| 40A               | 1 1/2                | 48.6                           | W 3/8           | 0192                             | 0205  | 0210  | 0224  | 0652  |
| 50A               | 2                    | 60.5                           | W 3/8           | 0239                             | 0243  | 0258  | 0262  | 0667  |
| 65A               | 2 1/2                | 76.3                           | W 3/8           | 0277                             | 0281  | 0296  | 0309  | 0671  |
| 80A               | 3                    | 89.1                           | W 3/8           | 0313                             | 0328  | 0332  | 0347  | 0351  |
| 100A              | 4                    | 114.3                          | W 3/8           | 0686                             | 0366  | 0385  | 0390  | 0402  |
| 125A              | 5                    | 139.8                          | W 1/2           |                                  | 0417  | 0421  | 0436  | 0455  |
| 150A              | 6                    | 165.2                          | W 1/2           |                                  | 0460  | 0474  | 0489  | 0493  |
| 200A              | 8                    | 216.3                          | W 1/2           |                                  |       | 0506  | 0525  | 0530  |
| 250A              | 10                   | 267.4                          | W 5/8           |                                  |       | 0544  | 0559  | 0563  |
| 300A              | 12                   | 318.5                          | W 5/8           |                                  |       |       | 0578  | 0582  |
| 350A              | 14                   | 355.6                          | W 5/8           |                                  |       |       | 0597  | 0600  |

## A10641 Urethane CG type for copper pipe


Hanging band for suspended cold and hot water copper pipe



●How to read the product's name

## A10642 Urethane CS type for copper pipe

Insulated U-band for floor-mounted cold and hot water copper pipe



Type—Exact size(D)—Thickness(T)—Length(L)  
(Ex.) CG—15.88—20—50

Part number A10641 Urethane CG type for copper pipe

A10642 Urethane CS type for copper pipe

Unit (mm)

| Diameter size (A) | Applicable pipe outer diameter (D) | Thermal insulation thickness (T) 20 mm |         | Thermal insulation thickness (T) 25 mm |         | Thermal insulation thickness (T) 30 mm |         | Thermal insulation thickness (T) 40 mm |         | Thermal insulation thickness (T) 50 mm |         |
|-------------------|------------------------------------|----------------------------------------|---------|----------------------------------------|---------|----------------------------------------|---------|----------------------------------------|---------|----------------------------------------|---------|
|                   |                                    | CG type                                | CS type | CG type                                | CS type | CG type                                | CS type | CG type                                | CS type | CG type                                | CS type |
| 8A                | 9.52                               | 0014                                   | 0011    | 0029                                   | 0026    | 0033                                   | 0045    |                                        |         |                                        |         |
| 10A               | 12.70                              | 0048                                   | 0050    | 0052                                   | 0064    | 0067                                   | 0079    |                                        |         |                                        |         |
| 15A               | 15.88                              | 0071                                   | 0083    | 0086                                   | 0098    | 0103                                   | 0115    | 0118                                   | 0120    |                                        |         |
| 19A               | 19.05                              | 0584                                   | 0577    | 0599                                   | 0581    | 0601                                   | 0596    | 0616                                   | 0609    |                                        |         |
| 20A               | 22.22                              | 0122                                   | 0134    | 0137                                   | 0149    | 0141                                   | 0153    | 0156                                   | 0168    |                                        |         |
| 25A               | 28.58                              | 0175                                   | 0172    | 0180                                   | 0187    | 0194                                   | 0191    | 0207                                   | 0204    |                                        |         |
| 32A               | 34.92                              | 0211                                   | 0219    | 0226                                   | 0223    | 0245                                   | 0238    | 0250                                   | 0242    |                                        |         |
| 40A               | 41.28                              | 0264                                   | 0257    | 0279                                   | 0261    | 0283                                   | 0276    | 0298                                   | 0295    |                                        |         |
| 50A               | 53.98                              | 0315                                   | 0308    | 0320                                   | 0312    | 0334                                   | 0327    | 0349                                   | 0331    |                                        |         |
| 65A               | 66.68                              | 0353                                   | 0346    | 0368                                   | 0365    | 0372                                   | 0370    | 0387                                   | 0384    |                                        |         |
| 80A               | 79.38                              | 0391                                   | 0399    | 0404                                   | 0401    | 0419                                   | 0416    | 0423                                   | 0435    | 0438                                   | 0440    |
| 100A              | 104.78                             |                                        |         | 0442                                   | 0454    | 0457                                   | 0469    | 0461                                   | 0473    | 0476                                   | 0488    |
| 125A              | 130.18                             |                                        |         | 0495                                   | 0492    | 0508                                   | 0505    | 0512                                   | 0510    | 0527                                   | 0524    |
| 150A              | 155.58                             |                                        |         | 0531                                   | 0539    | 0546                                   | 0543    | 0565                                   | 0558    | 0570                                   | 0562    |

## A10643 Urethane board

Confirm delivery

Urethane board for level adjustment



Part number A10643 Urethane board

Unit (mm)

| Urethane board TM (for medium load) |              | Urethane board TM (for heavy load) |              | Size |     |      |
|-------------------------------------|--------------|------------------------------------|--------------|------|-----|------|
| Size code                           | Model number | Size code                          | Model number | t    | W   | L    |
| 0127                                | TM-10        | 0339                               | TH-10        | 10   | 500 | 1000 |
| 0131                                | TM-15        | 0343                               | TH-15        | 15   | 500 | 1000 |
| 0146                                | TM-20        | 0358                               | TH-20        | 20   | 500 | 1000 |
| 0165                                | TM-25        | 0362                               | TH-25        | 25   | 500 | 1000 |
| 0170                                | TM-30        | 0377                               | TH-30        | 30   | 500 | 1000 |
| 0184                                | TM-40        | 0396                               | TH-40        | 40   | 500 | 1000 |
| 0199                                | TM-50        | 0413                               | TH-50        | 50   | 500 | 1000 |